

INSTRUMENT APPROACH
CHART (IAC)

PARINTINS / Parintins (SWPI)

RNP RWY 06



CAT (A, B, C)

AD ELEV: 82'

ATIS NIL	ERAA 132.60	APP NIL	TWR NIL	GNDC NIL
TEMP LNAV/VNAV MIN 0°C / MAX 50°C	FINAL CRS 064°	FAF: 1720'	LNAV/VNAV DA / (OCH): 1081' / (1000')	LNAV MDA / (OCH): 1085' / (1000')

APCH Perdida: Subir para **3000'**. Manter proa **074** até **1500'**. Após, curvar à DIREITA direto PI006 para espera
Missed APCH: Climb to **3000'**. Maintain heading **074** until **1500'**. After, turn RIGHT direct PI006 for holding.

DEPARTAMENTO DE CONTROLE DO ESPAÇO AÉREO



	PI002	4.0	3.0	RWY06	Ground Speed (KT)	090	110	130	150	170	190
	1720	1405	1085	ALT	FPM	500	600	700	800	NA	
	1639	1324	1000	(HGT)	FAF-MAPT	NIL					

STRAIGHT-IN	CAT	A	B	C	D	E
	DA / (OCH)	1081' / (1000')			NA	
LNAV/VNAV	ALS/NO ALS/ RVR ALS (m)	NIL / 5000 / NIL			NA	
	MDA / (OCH)	1085' / (1000')			NA	
LNAV	ALS/NO ALS/ RVR ALS (m)	NIL / 5000 / NIL			NA	
	MDA / (OCH)	1085' / (1000')			NA	
CIRCLING	MDA / (OCH)	1085' / (1000')			NA	
	VIS (m)	1000			NA	

CHANGES: AD ELEV.