

**INSTRUMENT APPROACH  
CHART (IAC)**

**DOURADOS / Dourados (SBDO)**

**RNP RWY 24**

(CAT A, B, C)



**AD ELEV: 1500'**

ATIS NIL		APP NIL		AFIS DOURADOS 130.10		GNDC NIL	
TEMP LNAV/VNAV MIN 0°C / MAX 47°C		FINAL CRS 237°		FAF: 3210'		LNAV/VNAV DA / (OCH): 1813' / (313')	
						LNAV MDA / (OCH): 1900' / (400')	

APCH Perdida: Subir para **4000'**. Manter proa **237'** para espera em DO003.

Missed APCH: Climb to **4000'**. Maintain heading **237'** for holding at DO003.

DEPARTAMENTO DE CONTROLE DO ESPAÇO AÉREO



RWY24	1.1	2.3	3.0	4.0	DO008	Ground Speed (KT)	090	110	130	150	170	190
ALT	1900	2282	2505	2824	3210	FPM	500	600	700	800	900	NA
(HGT)	400	782	1005	1324	1710	FAF-MAPT	NIL					

STRAIGHT-IN	CAT	A	B	C	D	E
	DA / (OCH)	1813' / (313')				
LNAV/VNAV	ALS/NO ALS/ RVR ALS (m)	NIL / 1400 / NIL				
	MDA / (OCH)	1900' / (400')				
LNAV	ALS/NO ALS/ RVR ALS (m)	NIL / 1800 / NIL				
	MDA / (OCH)	NA				
CIRCLING	MDA / (OCH)	NA				
	VIS (m)	NA				

CHANGES: ALT, LAYOUT, MINM OPR.