

**INSTRUMENT APPROACH
CHART (IAC)**

SALVADOR / Deputado Luís Eduardo Magalhães, INTL (SBSV)



AD ELEV: 66'

VOR Z RWY 28

D-ATIS 127.75	APP SALVADOR 119.35 119.80 120.80 129.45	TWR SALVADOR 118.60 118.95	GNDC SALVADOR 121.90
VOR SVD 116.50 MHz	FINAL CRS 283°	FAF: 1730'	VOR MDA / (OCH): 500' / (440')

APCH Perdida: Subir para **4500'**. Manter RDL **281** do VOR SVD até KIBIX para espera.

Missed APCH: Climb to **4500'**. Maintain **281** RDL SVD VOR up to KIBIX for holding.



	0.0	1.2	5.1	11.7	TO THR 28 (NM)
	0.7	1.9	5.7	12.3	TO SVD (DME)

RWY28	1.2	2.0	3.0	4.0	DILEM	Ground Speed (KT)	090	110	130	150	170	190
ALT	500	750	1068	1387	1730	FPM	500	600	700	800	900	1050
(HGT)	440	687	1005	1324	1667	FAF-MAPT	NA					

STRAIGHT-IN	CAT	A	B	C	D	E
	MDA / (OCH)	500' / (440')				
VOR	ALS/NO ALS/ RVR ALS (m)	NIL / 1600 / NIL		NIL / 2000 / NIL		
CIRCLING	MDA / (OCH)	NA				
	VIS (m)					

CHANGES: LAYOUT, OBST.