

INSTRUMENT APPROACH
CHART (IAC)

FLORIANÓPOLIS / Hercílio Luz, INTL (SBFL)



AD ELEV: 17'

VOR Y RWY 32

| | | | | | |
|-----------------------|---|---------------|-----|--|-------------------------------|
| D-ATIS 127.45 | APP FLORIANÓPOLIS 119.50 119.65 128.95 129.45 129.60 | | | TWR FLORIANÓPOLIS 118.70 122.80 (MIL) | GNDCL FLORIANÓPOLIS 121.70 |
| VOR FLN 113.40 MHz | FINAL CRS 321° | FAF: 1640' | N/A | VOR MDA / (OCH): 740' / (730') | |

APCH Perdida: Subir para **5000'**. Manter a RDL **321'** do VOR FLN até SUDBA para espera.

Missed APCH: Climb to **5000'**. Maintain **321'** RDL FLN VOR to SUDBA for holding.



| | | | | | | | | | | | | |
|-------|-----|------|------|-------|--|-------------------|-----|-----|-----|-----|-----|-----|
| RWY32 | 2.1 | 3.0 | 4.0 | DAKRU | | Ground Speed (KT) | 090 | 110 | 130 | 150 | 170 | 190 |
| ALT | 740 | 1019 | 1338 | 1640 | | FPM | 500 | 600 | 700 | 800 | 900 | NA |
| (HGT) | 730 | 1005 | 1324 | 1626 | | FAF-MAPT | NA | | | | | |

| | | | | | | |
|-------------|-------------------------|------------------|---|---|------------------|---|
| STRAIGHT-IN | CAT | A | B | C | D | E |
| | MDA / (OCH) | 740' / (730') | | | | |
| VOR | ALS/NO ALS/ RVR ALS (m) | NIL / 1600 / NIL | | | NIL / 3400 / NIL | |
| | | | | | | |
| CIRCLING | MDA / (OCH) | NA | | | | |
| | VIS (m) | | | | | |

CHANGES: NIL