



CODING TABLE

IAC VOR RWY 07					BELÉM / Val de Cans – Júlio Cezar Ribeiro, INTL (SBBE)							SBBE_IAC_01B		10 JUL 25	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	BEL	KEVOM	IF	N/A	N/A	N/A	+3000	N/A	N/A	N/A	N/A	IAF	N/A
20	APCH	N/A	BEL	MUBIR	AF	N/A	R	N/A	+2700	N/A	N/A	N/A	N/A	IF	N/A
10	APCH	N/A	BEL	SURDI	IF	N/A	N/A	N/A	+3000	N/A	N/A	N/A	N/A	IAF	N/A
20	APCH	N/A	BEL	MUBIR	AF	N/A	L	N/A	+2700	N/A	N/A	N/A	N/A	IF	N/A
10	FINAL	N/A	BEL	MUBIR	IF	N/A	N/A	N/A	+2700	N/A	N/A	N/A	N/A	IF	N/A
20	FINAL	N/A	BEL	EVTOD	CF	71.29° Mag / 51.04° True	N/A	N/A	R1540	N/A	N/A	5.00	N/A	FAF	N/A
30	FINAL	N/A	BEL	BE015*	CF	71.29° Mag / 51.04° True	N/A	N/A	R819	N/A	N/A	2.27	N/A	SDF	N/A
40	FINAL	N/A	BEL	BEL10*	CF	71.29° Mag / 51.04° True	N/A	N/A	@87	N/A	N/A	2.30	N/A	FTP	N/A
10	MA	N/A	BEL	N/A	CA	71.29° Mag / 51.04° True	N/A	N/A	+1200	N/A	N/A	N/A	N/A	OTHER	N/A
20	MA	N/A	N/A	N/A	VD	360.00° Mag / 339.75° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	MA	N/A	BEL	SURDI	AF	N/A	L	N/A	+3000	N/A	N/A	N/A	N/A	MAHF	N/A
40	MA	N/A	BEL	SURDI	HM	141.87° Mag / 121.61° True	L	N/A	+3000	N/A	N/A	1.00 min	N/A	MAHF	N/A

*Fictitious point: Only for coding purposes.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
KEVOM	S 01:28:14.19W 48:20:09.26
MUBIR	S 01:29:22.81W 48:36:28.69
SURDI	S 01:17:47.60W 48:37:13.01
EVTOD	S 01:26:13.25W 48:32:35.75
BE015	S 01:24:47.38W 48:30:50.23
BEL10	S 01:23:20.18W 48:29:03.09
VOR/DME BEL	S 01:23:03.69W 48:28:42.83

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT