



CODING TABLE

STAR RNAV IROMU 1A RWY 07					BELÉM / Val de Cans – Júlio Cezar Ribeiro, INTL (SBBE)							SBBE_STAR_01R		10 JUL 25	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	IROMU	N/A	N/A	IROMU	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	IROMU	N	N/A	BE131	TF	17.26° Mag / 356.60° True	N/A	N/A	N/A	N/A	N/A	59.27	N/A	OTHER	RNAV 1 or RNP 1
30	IROMU	N	N/A	BE132	TF	17.07° Mag / 356.60° True	N/A	N/A	N/A	N/A	N/A	26.50	N/A	OTHER	RNAV 1 or RNP 1
40	IROMU	N	N/A	BE393	TF	16.99° Mag / 356.60° True	N/A	N/A	+4500	N/A	N/A	27.57	N/A	IAF	RNAV 1 or RNP 1

STAR RNAV LIVED 1A RWY 07					BELÉM / Val de Cans – Júlio Cezar Ribeiro, INTL (SBBE)							SBBE_STAR_01R		10 JUL 25	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	LIVED	N/A	N/A	LIVED	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	LIVED	N	N/A	BE126	TF	314.61° Mag / 294.13° True	N/A	N/A	N/A	N/A	N/A	28.42	N/A	OTHER	RNAV 1 or RNP 1
30	LIVED	N	N/A	BE127	TF	314.57° Mag / 294.17° True	N/A	-7000	N/A	N/A	N/A	19.22	N/A	OTHER	RNAV 1 or RNP 1
40	LIVED	N	N/A	BE128	TF	320.35° Mag / 300.01° True	N/A	N/A	+5000	N/A	N/A	12.37	N/A	OTHER	RNAV 1 or RNP 1
50	LIVED	N	N/A	BE393	TF	320.53° Mag / 300.23° True	N/A	N/A	+4500	N/A	N/A	5.52	N/A	IAF	RNAV 1 or RNP 1

STAR RNAV PAKUT 1A RWY 07					BELÉM / Val de Cans – Júlio Cezar Ribeiro, INTL (SBBE)							SBBE_STAR_01R		10 JUL 25	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	PAKUT	N/A	N/A	PAKUT	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	PAKUT	N	N/A	BE114	TF	108.11° Mag / 88.17° True	N/A	N/A	N/A	N/A	N/A	52.50	N/A	OTHER	RNAV 1 or RNP 1
30	PAKUT	N	N/A	BE116	TF	102.44° Mag / 82.35° True	N/A	N/A	N/A	N/A	N/A	40.44	N/A	OTHER	RNAV 1 or RNP 1
40	PAKUT	N	N/A	BE117	TF	102.48° Mag / 82.30° True	N/A	N/A	N/A	N/A	N/A	20.57	N/A	OTHER	RNAV 1 or RNP 1
50	PAKUT	N	N/A	BE389	TF	102.49° Mag / 82.26° True	N/A	N/A	+4500	N/A	N/A	25.90	N/A	IAF	RNAV 1 or RNP 1

STAR RNAV VUSNA 1A RWY 07					BELÉM / Val de Cans – Júlio Cezar Ribeiro, INTL (SBBE)							SBBE_STAR_01R		10 JUL 25	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	VUSNA	N/A	N/A	VUSNA	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	VUSNA	N	N/A	BE121	TF	142.82° Mag / 122.83° True	N/A	N/A	N/A	N/A	N/A	40.37	N/A	OTHER	RNAV 1 or RNP 1
30	VUSNA	N	N/A	BE122	TF	142.91° Mag / 122.77° True	N/A	-5000	N/A	N/A	N/A	26.39	N/A	OTHER	RNAV 1 or RNP 1
40	VUSNA	N	N/A	BE392	TF	143.13° Mag / 122.89° True	N/A	N/A	+3000	N/A	N/A	4.04	N/A	IAF	RNAV 1 or RNP 1

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
VUSNA	S 00:49:10.57W 49:41:03.15
BE121	S 01:11:09.92W 49:07:11.02
BE122	S 01:25:31.00W 48:45:01.50
BE392	S 01:27:43.20W 48:41:38.40
LIVED	S 02:04:23.33W 47:34:51.66
BE126	S 01:52:42.52W 48:00:46.00
BE127	S 01:44:48.00W 48:18:16.78
BE128	S 01:38:35.00W 48:28:58.55
BE393	S 01:35:47.40W 48:33:44.40
IROMU	S 03:29:29.62W 48:27:01.54
BE131	S 02:30:02.00W 48:30:32.46
BE132	S 02:03:26.71W 48:32:06.57
PAKUT	S 01:47:57.57W 50:58:53.61
BE114	S 01:46:15.58W 50:06:29.14
BE116	S 01:40:50.38W 49:26:27.86
BE117	S 01:38:04.03W 49:06:06.76
BE389	S 01:34:33.60W 48:40:28.80

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT