



CODING TABLE

SID RNAV ITAKI 1B RWY 03					BELÉM / Val de Cans – Júlio Cezar Ribeiro, INTL (SBBE)							SBBE_SID_02H	10 JUL 25		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	ITAKI	N/A	N/A	N/A	VA	25.17° Mag / 4.91° True	N/A	N/A	+1200	N/A	N/A	N/A	3.32	OTHER	RNAV 1 or RNP 1
20	ITAKI	N	N/A	ITAKI	DF	N/A	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV VULAP 1B RWY 03					BELÉM / Val de Cans – Júlio Cezar Ribeiro, INTL (SBBE)							SBBE_SID_02H	10 JUL 25		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N/A	N/A	N/A	VA	25.17° Mag / 4.91° True	N/A	N/A	+1200	N/A	N/A	N/A	3.32	OTHER	RNAV 1 or RNP 1
20	RWY	N	N/A	BE111	DF	N/A	R	N/A	+8000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
30	RWY	N	N/A	BE112	TF	190.38° Mag / 170.07° True	N/A	N/A	N/A	N/A	N/A	11.05	N/A	OTHER	RNAV 1 or RNP 1
40	RWY	N	N/A	ILSAT	TF	189.59° Mag / 169.24° True	N/A	N/A	N/A	N/A	N/A	14.02	N/A	OTHER	RNAV 1 or RNP 1
50	RWY	N	N/A	VULAP	TF	193.01° Mag / 172.61° True	N/A	N/A	N/A	N/A	N/A	50.91	N/A	OTHER	RNAV 1 or RNP 1
10	LEMIS	N/A	N/A	VULAP	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	LEMIS	N	N/A	LEMIS	TF	208.66° Mag / 188.08° True	N/A	N/A	N/A	N/A	N/A	97.47	N/A	OTHER	RNAV 1 or RNP 1
10	ANGIM	N/A	N/A	VULAP	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	ANGIM	N	N/A	ANGIM	TF	192.73° Mag / 172.15° True	N/A	N/A	N/A	N/A	N/A	37.50	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV ILSAT 1B RWY 03					BELÉM / Val de Cans – Júlio Cezar Ribeiro, INTL (SBBE)							SBBE_SID_02H		10 JUL 25	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	ILSAT	N/A	N/A	N/A	VA	25.17° Mag / 4.91° True	N/A	N/A	+1200	N/A	N/A	N/A	3.32	OTHER	RNAV 1 or RNP 1
20	ILSAT	N	N/A	BE111	DF	N/A	R	N/A	+8000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
30	ILSAT	N	N/A	BE112	TF	190.38° Mag / 170.07° True	N/A	N/A	N/A	N/A	N/A	11.05	N/A	OTHER	RNAV 1 or RNP 1
40	ILSAT	N	N/A	ILSAT	TF	189.59° Mag / 169.24° True	N/A	N/A	N/A	N/A	N/A	14.02	N/A	OTHER	RNAV 1 or RNP 1

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
BE111	S 01:37:19.00W 48:23:34.03
BE112	S 01:48:15.00W 48:21:39.88
VULAP	S 02:52:49.76W 48:12:30.36
LEMIS	S 04:29:48.09W 48:26:13.23
ANGIM	S 03:30:09.36W 48:07:22.91
ITAKI	S 01:41:26.39W 47:24:21.83
ILSAT	S 02:02:05.40W 48:19:03.00

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
03	S 01:22:26.63 W 48:28:32.69	47.90

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT