



## CODING TABLE

IAC RNP RWY 16					Eirunepé (SWEI)							SWEI_IAC_00A		30 OCT 25	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	EI026	IF	N/A	N/A	N/A	+3000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	EI022	TF	258.69° Mag / 248.52° True	N/A	N/A	+2500	N/A	N/A	6.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	EI023	IF	N/A	N/A	N/A	+3000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	EI022	TF	168.61° Mag / 158.53° True	N/A	N/A	+2500	N/A	N/A	5.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	EI024	IF	N/A	N/A	N/A	+3000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	EI022	TF	78.56° Mag / 68.54° True	N/A	N/A	+2500	N/A	N/A	6.00	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	EI022	IF	N/A	N/A	N/A	+2500	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	EI021	TF	168.62° Mag / 158.53° True	N/A	N/A	R2060	N/A	N/A	5.00	N/A	FAF	RNP APCH
30	FINAL	Y	N/A	RWY16	TF	168.63° Mag / 158.52° True	N/A	N/A	@464	N/A	N/A	5.00	-3.00	LTP	RNP APCH
10	MA	N/A	N/A	N/A	VA	168.64° Mag / 158.52° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	OTHER	RNP APCH
20	MA	Y	N/A	EI026	DF	168.62° Mag / 158.53° True	L	N/A	+3000	N/A	N/A	N/A	N/A	MAHF	RNP APCH
30	MA	Y	N/A	EI026	HM	N/A	R	N/A	+3000	N/A	N/A	1.00 min	N/A	MAHF	RNP APCH

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
EI026	S 06:26:13.91W 69:51:04.66
EI024	S 06:30:38.72W 70:02:17.75
EI023	S 06:23:45.82W 69:58:31.48
EI022	S 06:28:26.35W 69:56:41.18
EI021	S 06:33:06.86W 69:54:50.85
RWY16	S 06:37:47.35W 69:53:00.50

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT