



CODING TABLE

| STAR RNAV EDNAR 2A RWY 14 | | | | | GOIÂNIA / Santa Genoveva, INTL (SBGO) | | | | | | | SBGO_STAR_00R | 16 APR 26 | | |
|---------------------------|-----------------------|----------|------------|-----------|---------------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|---------------|-----------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | TOLAT | N/A | N/A | TOLAT | IF | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | RNAV 1 or RNP 1 |
| 20 | TOLAT | N | N/A | EDNAR | TF | 204.71° Mag 182.88° True | N/A | N/A | N/A | N/A | N/A | 78.47 | N/A | OTHER | RNAV 1 or RNP 1 |
| 10 | PABUM | N/A | N/A | PABUM | IF | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | RNAV 1 or RNP 1 |
| 20 | PABUM | N | N/A | EDNAR | TF | 160.80° Mag 139.10° True | N/A | N/A | N/A | N/A | N/A | 31.67 | N/A | OTHER | RNAV 1 or RNP 1 |
| 10 | RWY | N/A | N/A | EDNAR | IF | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | RNAV 1 or RNP 1 |
| 20 | RWY | N | N/A | ASAXU | TF | 241.39° Mag 219.57° True | N/A | N/A | N/A | N/A | N/A | 22.44 | N/A | OTHER | RNAV 1 or RNP 1 |
| 30 | RWY | N | N/A | GO039 | TF | 241.37° Mag 219.64° True | N/A | N/A | +14000 | N/A | N/A | 25.21 | N/A | OTHER | RNAV 1 or RNP 1 |
| 40 | RWY | N | N/A | GO041 | TF | 241.33° Mag 219.70° True | N/A | N/A | +9000 | N/A | N/A | 21.14 | N/A | OTHER | RNAV 1 or RNP 1 |
| 50 | RWY | N | N/A | GO002 | TF | 241.30° Mag 219.76° True | N/A | N/A | +7000 | N/A | N/A | 10.64 | N/A | IAF | RNAV 1 or RNP 1 |

| STAR RNAV SIREM 2A RWY 14 | | | | | GOIÂNIA / Santa Genoveva, INTL (SBGO) | | | | | | | SBGO_STAR_00R | | 16 APR 26 | |
|---------------------------|-----------------------|----------|------------|-----------|---------------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|---------------|--------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | OPGOL | N/A | N/A | OPGOL | IF | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | RNAV 1 or RNP 1 |
| 20 | OPGOL | N | N/A | SIREM | TF | 300.04° Mag 277.59° True | N/A | N/A | +15000 | N/A | N/A | 120.82 | N/A | OTHER | RNAV 1 or RNP 1 |
| 10 | VADOP | N/A | N/A | VADOP | IF | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | RNAV 1 or RNP 1 |
| 20 | VADOP | N | N/A | SIREM | TF | 250.84° Mag 228.40° True | N/A | N/A | +15000 | N/A | N/A | 175.94 | N/A | OTHER | RNAV 1 or RNP 1 |
| 10 | EDNAR | N/A | N/A | EDNAR | IF | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | RNAV 1 or RNP 1 |
| 20 | EDNAR | N | N/A | EVNAV | TF | 205.33° Mag 183.51° True | N/A | N/A | N/A | N/A | N/A | 22.51 | N/A | OTHER | RNAV 1 or RNP 1 |
| 30 | EDNAR | N | N/A | SIREM | TF | 205.29° Mag 183.48° True | N/A | N/A | +15000 | N/A | N/A | 41.74 | N/A | OTHER | RNAV 1 or RNP 1 |
| 10 | RWY | N/A | N/A | SIREM | IF | N/A | N/A | N/A | +15000 | N/A | N/A | N/A | N/A | OTHER | RNAV 1 or RNP 1 |
| 20 | RWY | N | N/A | GO029 | TF | 278.09° Mag 256.31° True | N/A | N/A | +12000 | N/A | N/A | 21.49 | N/A | OTHER | RNAV 1 or RNP 1 |
| 30 | RWY | N | N/A | GO042 | TF | 321.81° Mag 300.16° True | N/A | N/A | +9000 | N/A | N/A | 10.15 | N/A | OTHER | RNAV 1 or RNP 1 |
| 40 | RWY | N | N/A | GO034 | TF | 321.81° Mag 300.21° True | N/A | N/A | +7000 | N/A | N/A | 11.19 | N/A | IAF | RNAV 1 or RNP 1 |

| Ident | Latitude / Longitude (WGS84) DD:MM:SS.SS |
|-------|---|
| TOLAT | S 14:09:54.56W 48:30:37.29 |
| EDNAR | S 15:28:36.60W 48:34:42.60 |
| PABUM | S 15:04:35.00W 48:56:11.00 |
| ASAXU | S 15:45:58.34W 48:49:32.00 |
| GO039 | S 16:05:27.29W 49:06:14.08 |
| GO041 | S 16:21:46.94W 49:20:16.85 |
| GO002 | S 16:29:59.40W 49:27:21.60 |
| SIREM | S 16:33:00.60W 48:38:46.80 |
| GO029 | S 16:38:05.89W 49:00:31.47 |
| GO042 | S 16:32:58.43W 49:09:39.67 |
| GO034 | S 16:27:18.96W 49:19:43.41 |
| OPGOL | S 16:49:40.20W 46:34:06.00 |
| VADOP | S 14:36:23.35W 46:21:50.17 |
| EVNAV | S 15:51:10.20W 48:36:08.40 |

| COD | Meaning |
|-----|----------------------------|
| + | AT OR ABOVE |
| - | AT OR BELOW |
| @ | AT |
| R | RECOMMENDED |
| B | BETWEEN |
| = | AS ASSIGNED |
| SDF | STEPDOWN FIX |
| Y | YES |
| N | NO |
| L | LEFT |
| R | RIGHT |
| N/A | NOT APPLICABLE |
| LTP | LANDING THRESHOLD POINT |
| FTP | FICTITIOUS THRESHOLD POINT |