



CODING TABLE

IAC RNP Z RWY 20L (AR)					GAVIÃO PEIXOTO / EMBRAER - Unidade Gavião Peixoto (SBGP)							SBGP_IAC_00K		11 JUN 26	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role Of TheFix	Navigation Specification
10	APCH	N/A	N/A	GP031	IF	N/A	N/A	N/A	+11000	N/A	N/A	N/A	N/A	IAF	RNP 1.0
20	APCH	N	N/A	GP032	TF	234.21° Mag 212.70° True	N/A	N/A	R91000	250	-	7.77	N/A	IF	RNP 1.0
10	FINAL	N/A	N/A	GP032	IF	N/A	N/A	N/A	N/A	250	-	N/A	N/A	IF	RNP 1.0
20	FINAL	N	N/A	GP034	RF	N/A	L	N/A	N/A	N/A	N/A	5.79	N/A	OTHER	RNP 1.0
N/A	N/A	N/A	N/A	GP033*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ARC RADIUS 5.22	N/A	OTHER	N/A
30	FINAL	N	N/A	GP036	TF	170.65° Mag 149.15° True	N/A	N/A	N/A	N/A	N/A	4.00	N/A	OTHER	RNP 1.0
40	FINAL	N	N/A	GP038	RF	N/A	L	N/A	+5000	N/A	N/A	5.02	N/A	OTHER	RNP 1.0
N/A	N/A	N/A	N/A	GP037*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ARC RADIUS 4.79	N/A	OTHER	N/A
50	FINAL	N	N/A	GP007	RF	N/A	R	N/A	R3640	165	-	7.10	N/A	FAF	RNP 1.0
N/A	N/A	N/A	N/A	GP039*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ARC RADIUS 4.52	N/A	OTHER	N/A
60	FINAL	Y	N/A	RW20L	TF	200.57° Mag 179.04° True	N/A	N/A	@2047	N/A	N/A	5.00	-3.00	LTP	RNP 0.3
10	MA	N	N/A	GP042	TF	200.57° Mag 179.04° True	N/A	N/A	N/A	N/A	N/A	1.08	N/A	OTHER	RNP 0.5
20	MA	N	N/A	GP043	RF	N/A	R	N/A	N/A	N/A	N/A	13.70	N/A	OTHER	RNP 1.0
N/A	N/A	N/A	N/A	GP041*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ARC RADIUS 4.36	N/A	OTHER	N/A
30	MA	Y	N/A	GP044	TF	20.58° Mag 359.10° True	N/A	N/A	+4700	N/A	N/A	5.00	N/A	MAHF	RNP 1.0
40	MA	Y	N/A	GP044	HM	20.54° Mag 359.06° True	L	N/A	+4700	N/A	N/A	1.00 min	N/A	MAHF	RNP 1.0

* Fictitious point: only for coding purposes.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
GP007	S 21:40:03.70W 48:24:24.83
GP031	S 21:17:43.70W 48:31:26.79
GP032	S 21:24:17.48W 48:35:56.51
GP033	S 21:27:07.29W 48:31:13.86
GP034	S 21:29:48.55W 48:36:02.26
GP036	S 21:33:15.34W 48:33:50.27
GP037	S 21:30:47.13W 48:29:25.22
GP038	S 21:35:36.00W 48:29:20.48
GP039	S 21:40:08.19W 48:29:16.01
GP041	S 21:47:51.60W 48:28:57.73
GP042	S 21:47:47.26W 48:24:16.51
GP043	S 21:47:55.80W 48:33:38.95
GP044	S 21:42:54.77W 48:33:44.03
RWY20L	S 21:45:04.72W 48:24:19.43

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT
*	FICTITIOUS POINT

MISSED APPROACH SEGMENT																	
Track	Bank Angle(°)		TWC (KT)		IAS (KT)		D_{MASRNP} (NM)		TrD (NM)		Gradient (%)		RNP (NM)		TP Altitude (FT)		
	Used	STD	Used	STD	Used	STD	Used	STD	Used	STD	Used	STD	Used	STD	Used	STD	

COD	Meaning
STD	Value according to ICAO Documents
TWC	Tail Wind Component
IAS	Indicated Air Speed
D _{frop}	Distance FROP-THEL
FROP	Final Roll-Out Point
TrD	Track Distance (Needed to comply turns)
TP Altitude	Turning Point Altitude
THEL	Threshold elevation
D _{MASRNP}	Maximum distance of RNP navigation accuracy (requirement less than 1.0 NM in the missed approach)