



## CODING TABLE

IAC RNP Y RWY 15 (AR)					CAMPINAS / Viracopos, INTL (SBKP)							SBKP_IAC_01R		16 APR 26	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	KP207	IF	N/A	N/A	N/A	+9000	N/A	N/A	N/A	N/A	IAF	RNP 1.0
20	APCH	N	N/A	KP041	TF	329.59° Mag 307.70° True	N/A	N/A	+6800	220	-	5.32	N/A	OTHER	RNP 1.0
30	APCH	N/A	N/A	KP042	RF	N/A	L	N/A	+6000	N/A	N/A	2.00	N/A	IF	RNP 1.0
N/A	N/A	N/A	N/A	KP043*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ARC RADIUS 3.04	N/A	N/A	N/A
10	FINAL	N/A	N/A	KP042	IF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	IF	RNP 1.0
20	FINAL	N/A	N/A	KP046	RF	N/A	L	N/A	R4490	N/A	N/A	5.05	N/A	FAF	RNP 1.0
N/A	N/A	N/A	N/A	KP043*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ARC RADIUS 3.04	N/A	N/A	N/A
30	FINAL	N/A	N/A	KP188	RF	N/A	L	N/A	R3663	N/A	N/A	2.48	-3.10	FROP	RNP 0.3
N/A	N/A	N/A	N/A	KP043*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ARC RADIUS 3.04	N/A	N/A	N/A
40	FINAL	Y	N/A	RWY15	TF	149.58° Mag 127.75° True	N/A	N/A	@2189	N/A	N/A	4.48	-3.10	LTP	RNP 0.3
10	MA	N	N/A	KP063	TF	149.63° Mag 127.78° True	N/A	N/A	N/A	200	-	6.76	N/A	OTHER	RNP 1.0
20	MA	N/A	N/A	KP182	RF	N/A	R	N/A	N/A	200	-	11.43	N/A	OTHER	RNP 1.0
N/A	N/A	N/A	N/A	KP181*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ARC RADIUS 3.64	N/A	N/A	N/A
30	MA	Y	N/A	KOVGA	TF	329.61° Mag 307.79° True	N/A	N/A	+7000	N/A	N/A	16.28	N/A	MAHF	RNP 1.0
40	MA	Y	N/A	KOVGA	HM	60.00° Mag 38.24° True	R	N/A	+7000	N/A	N/A	4.35	N/A	MAHF	RNP 1.0

\*Fictitious point: only for coding purposes.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
KP063	S 23:04:03.54W 47:03:01.85
KP182	S 23:09:49.75W 47:07:51.87
KP181	S 23:06:56.66W 47:05:26.81
KOVGA	S 22:59:48.60W 47:21:48.60
KP207	S 22:55:35.90W 47:04:04.19
KP041	S 22:52:19.99W 47:08:37.68
KP042	S 22:51:41.72W 47:10:38.42
KP043	S 22:54:44.72W 47:10:38.56
KP046	S 22:55:01.07W 47:13:55.32
KP188	S 22:57:09.43W 47:12:39.51
RWY15	S 22:59:54.48W 47:08:49.21

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
FROP	FINAL APPROACH ROLLOUT POINT
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT



<b>MISSED APPROACH SEGMENT</b>																
<b>Track</b>	<b>Bank Angle(°)</b>		<b>TWC (KT)</b>		<b>IAS (KT)</b>		<b>D<sub>MASRNP</sub> (NM)</b>		<b>TrD (NM)</b>		<b>Gradient (%)</b>		<b>RNP (NM)</b>		<b>TP Altitude (FT)</b>	
	Used /	STD	Used /	STD	Used /	STD	Used /	STD	Used /	STD	Used /	STD	Used /	STD	Used /	STD
<b>ALL PARAMETERS ARE ACCORDING TO ICAO DOCUMENTS</b>																

<b>COD</b>	<b>Meaning</b>
STD	Value according to ICAO Documents
TWC	Tail Wind Component
IAS	Indicated Air Speed
D <sub>frop</sub>	Distance FROP-THEL
FROP	Final Roll-Out Point
TrD	Track Distance (Needed to comply turns)
TP Altitude	Turning Point Altitude
THEL	Threshold elevation
D <sub>MASRNP</sub>	Maximum distance of RNP navigation accuracy (requirement less than 1.0 NM in the missed approach)