



CODING TABLE

SID NEBIK 2C RWY 12/16L/16R					NATAL / Campo Augusto Severo, MIL (SBNT)							SBNT_SID_01Y		05 OCT 23	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY12	N/A	N/A	N/A	VA	119.70° Mag 98.99° True	N/A	N/A	+1000	190	-	N/A	N/A	OTHER	N/A
20	RWY12	N/A	N/A	N/A	VI	290.00° Mag 269.30° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	RWY12	N/A	NTL	NTL11*	CF	324.55° Mag 303.84° True	N/A	N/A	+8000	N/A	N/A	N/A	N/A	OTHER	N/A
10	RW16R	N/A	N/A	N/A	VA	161.73° Mag 141.01° True	N/A	N/A	+1000	190	-	N/A	N/A	OTHER	N/A
20	RW16R	N/A	N/A	N/A	VI	350.00° Mag 329.28° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	RW16R	N/A	NTL	NTL11*	CF	324.55° Mag 303.84° True	N/A	N/A	+8000	N/A	N/A	N/A	N/A	OTHER	N/A
10	RW16L	N/A	N/A	N/A	VA	161.63° Mag 141.92° True	N/A	N/A	+1000	190	-	N/A	N/A	OTHER	N/A
20	RW16L	N/A	N/A	N/A	VI	350.00° Mag 329.28° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	RW16L	N/A	NTL	NTL11*	CF	325.15° Mag 303.89° True	N/A	N/A	+8000	N/A	N/A	N/A	N/A	OTHER	N/A
10	NEBIK	N/A	NTL	NEBIK	CF	324.55° Mag 303.84° True	N/A	N/A	N/A	N/A	N/A	20.01	N/A	OTHER	N/A

*Fictitious point: Only for coding purposes

SID RATEP 2E RWY 12/16L/16R					NATAL / Campo Augusto Severo, MIL (SBNT)							SBNT_SID_01Y		05 OCT 23	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY12	N/A	N/A	N/A	VA	119.70° Mag 98.99° True	N/A	N/A	+1000	190	-	N/A	N/A	OTHER	N/A
20	RWY12	N/A	N/A	N/A	VI	290.00° Mag 269.30° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	RWY12	N/A	NTL	NTL12*	CF	309.15° Mag 288.44° True	N/A	N/A	+8000	N/A	N/A	N/A	N/A	OTHER	N/A
10	RW16L	N/A	N/A	N/A	VA	161.63° Mag 140.92° True	N/A	N/A	+1000	190	-	N/A	N/A	OTHER	N/A
20	RW16L	N/A	N/A	N/A	VI	350.00° Mag 329.28° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	RW16L	N/A	NTL	NTL12*	CF	309.15° Mag 288.44° True	N/A	N/A	+8000	N/A	N/A	N/A	N/A	OTHER	N/A
10	RW16R	N/A	N/A	N/A	VA	161.73° Mag 141.01° True	N/A	N/A	+1000	190	-	N/A	N/A	OTHER	N/A
20	RW16R	N/A	N/A	N/A	VI	350.00° Mag 329.28° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	RW16R	N/A	NTL	NTL12*	CF	309.15° Mag 288.44° True	N/A	N/A	+8000	N/A	N/A	N/A	N/A	OTHER	N/A
10	RATEP	N/A	NTL	RATEP	CF	309.15° Mag 288.44° True	N/A	N/A	N/A	N/A	N/A	20.01	N/A	OTHER	N/A

*Fictitious point: Only for coding purposes

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
VOR NTL	S 05:54:30.00W 35:14:55.20
NTL12*	S 05:48:08.27W 35:33:57.04
RATEP	S 05:41:45.60W 35:52:59.40
NTL11*	S 05:43:18.42W 35:31:34.83
NEBIK	S 05:32:06.06W 35:48:14.40

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
12	S 05:54:41.97W 35:14:22.38	145.47
16R	S 05:55:12.49W 35:14:45.66	151.44
16L	S 05:55:12.31W 35:14:12.40	138.28

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT