



## CODING TABLE

IAC RNP Y RWY 29					PORTO ALEGRE / Salgado Filho, INTL (SBPA)							SBPA_IAC_01J		16 APR 26	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude	Lower Limit Altitude	Speed Limit	Speed Limit Description	TM DST (NM)	VA (°)	Role Of TheFix	Navigation Specification
10	APCH	N/A	N/A	VUGBO	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	PA024	TF	359.10° Mag 341.27° True	N/A	N/A	+2300	N/A	N/A	6.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	KOTUB	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	PA024	TF	219.23° Mag 201.31° True	N/A	N/A	+2300	N/A	N/A	6.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	PA006	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	PA024	TF	289.14° Mag 271.23° True	N/A	N/A	+2300	N/A	N/A	5.00	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	PA024	IF	N/A	N/A	N/A	+2300	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	NETPI	TF	289.09° Mag 271.23° True	N/A	N/A	R1520	N/A	N/A	5.00	N/A	FAF	RNP APCH
30	FINAL	N	N/A	POA05*	TF	289.02° Mag 271.22° True	N/A	N/A	R654	N/A	N/A	2.70	-3.00	SDF	RNP APCH
40	FINAL	Y	N/A	RWY29	TF	289.01° Mag 271.24° True	N/A	N/A	@80	N/A	N/A	1.80	-3.00	LTP	RNP APCH
10	MA	N/A	N/A	N/A	VA	288.56° Mag 270.81° True	N/A	N/A	+3000	240	-	N/A	N/A	N/A	RNP APCH

20	MA	Y	N/A	DAKAT	DF	N/A	L	N/A	+4000	240	-	N/A	N/A	MAHF	RNP APCH
30	MA	Y	N/A	DAKAT	HM	108.56° Mag 91.4° True	R	N/A	+4000	240	-	1.00 min	N/A	MAHF	RNP APCH

\* Fictitious point: Only for coding purposes.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
VUGBO	S 30:05:36.60W 50:55:49.80
PA024	S 29:59:54.60W 50:58:03.00
DAKAT	S 30:05:01.80W 51:25:00.60
NETPI	S 29:59:48.00W 51:03:48.60
POA05	S 29:59:44.50W 51:06:54.91
RWY29	S 29:59:42.14W 51:08:59.46
KOTUB	S 29:54:18.60W 50:55:32.40
PA006	S 30:00:01.20W 50:52:17.40

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
POA05	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT