



CODING TABLE

SID RNAV EGBAM 1B RWY 29					PORTO ALEGRE / Salgado Filho, INTL (SBPA)							SBPA_SID_02Y		16 APR 26	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N/A	N/A	ISEPA	CF	288.97° Mag / 271.32° True	N/A	N/A	N/A	210	-	5.20	N/A	OTHER	RNAV 1 or RNP 1
10	DEVOT	N/A	N/A	ISEPA	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	DEVOT	N	N/A	EGBAM	TF	198.56° Mag / 180.97° True	N/A	B6000	B5000	N/A	N/A	10.66	N/A	OTHER	RNAV 1 or RNP 1
30	DEVOT	N	N/A	AMVOM	TF	237.40° Mag / 219.90° True	N/A	N/A	N/A	N/A	N/A	25.97	N/A	OTHER	RNAV 1 or RNP 1
40	DEVOT	N	N/A	DOVNA	TF	252.35° Mag / 235.19° True	N/A	N/A	N/A	N/A	N/A	17.50	N/A	OTHER	RNAV 1 or RNP 1
50	DEVOT	N	N/A	DEVOT	TF	249.49° Mag / 232.57° True	N/A	N/A	N/A	N/A	N/A	55.40	N/A	OTHER	RNAV 1 or RNP 1
10	ISOBU	N/A	N/A	ISEPA	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	ISOBU	N	N/A	EGBAM	TF	198.56° Mag / 180.97° True	N/A	B6000	B5000	N/A	N/A	10.66	N/A	OTHER	RNAV 1 or RNP 1
30	ISOBU	N	N/A	AMVOM	TF	237.40° Mag / 219.90° True	N/A	N/A	N/A	N/A	N/A	25.97	N/A	OTHER	RNAV 1 or RNP 1
40	ISOBU	N	N/A	DOVNA	TF	252.35° Mag / 235.19° True	N/A	N/A	N/A	N/A	N/A	17.50	N/A	OTHER	RNAV 1 or RNP 1
50	ISOBU	N	N/A	TOKAK	TF	284.82° Mag / 267.90° True	N/A	N/A	N/A	N/A	N/A	47.90	N/A	OTHER	RNAV 1 or RNP 1
60	ISOBU	N	N/A	ISOBU	TF	282.14° Mag / 265.81° True	N/A	N/A	N/A	N/A	N/A	29.68	N/A	OTHER	RNAV 1 or RNP 1
10	POXEV	N/A	N/A	ISEPA	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	POXEV	N	N/A	EGBAM	TF	198.56° Mag / 180.97° True	N/A	B6000	B5000	N/A	N/A	10.66	N/A	OTHER	RNAV 1 or RNP 1
30	POXEV	N	N/A	AMVOM	TF	237.40° Mag / 219.90° True	N/A	N/A	N/A	N/A	N/A	25.97	N/A	OTHER	RNAV 1 or RNP 1
40	POXEV	N	N/A	DOVNA	TF	252.35° Mag / 235.19° True	N/A	N/A	N/A	N/A	N/A	17.50	N/A	OTHER	RNAV 1 or RNP 1
50	POXEV	N	N/A	POXEV	TF	300.86° Mag / 283.94° True	N/A	N/A	N/A	N/A	N/A	83.90	N/A	OTHER	RNAV 1 or RNP 1

10	KEXEL	N/A	N/A	ISEPA	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	KEXEL	N	N/A	EGBAM	TF	198.56° Mag / 180.97° True	N/A	B6000	B5000	N/A	N/A	10.66	N/A	OTHER	RNAV 1 or RNP 1
30	KEXEL	N	N/A	PA053	TF	265.12° Mag / 247.61° True	N/A	N/A	N/A	N/A	N/A	13.66	N/A	OTHER	RNAV 1 or RNP 1
40	KEXEL	N	N/A	PA054	TF	287.19° Mag / 269.87° True	N/A	-14000	N/A	N/A	N/A	11.47	N/A	OTHER	RNAV 1 or RNP 1
50	KEXEL	N	N/A	PA056	TF	287.17° Mag / 269.97° True	N/A	N/A	N/A	N/A	N/A	8.09	N/A	OTHER	RNAV 1 or RNP 1
60	KEXEL	N	N/A	PA057	TF	287.14° Mag / 270.04° True	N/A	N/A	N/A	N/A	N/A	25.87	N/A	OTHER	RNAV 1 or RNP 1
70	KEXEL	N	N/A	KEXEL	TF	330.24° Mag / 313.45° True	N/A	N/A	N/A	N/A	N/A	39.54	N/A	OTHER	RNAV 1 or RNP 1
10	TEMEK	N/A	N/A	ISEPA	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	TEMEK	N	N/A	EGBAM	TF	198.56° Mag / 180.97° True	N/A	B6000	B5000	N/A	N/A	10.66	N/A	OTHER	RNAV 1 or RNP 1
30	TEMEK	N	N/A	EDSEP	TF	222.12° Mag / 204.62° True	N/A	N/A	N/A	N/A	N/A	21.64	N/A	OTHER	RNAV 1 or RNP 1
40	TEMEK	N	N/A	TEMEK	TF	243.10° Mag / 225.85° True	N/A	N/A	N/A	N/A	N/A	6.50	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV SUSKI 2B RWY 29				PORTO ALEGRE / Salgado Filho, INTL (SBPA)								SBPA_SID_02Y		16 APR 26	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	SUSKI	N/A	N/A	ISEPA	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	SUSKI	N	N/A	GEMGI	TF	288.94° Mag / 271.35° True	N/A	N/A	N/A	N/A	N/A	9.80	N/A	OTHER	RNAV 1 or RNP 1
30	SUSKI	N	N/A	PA062	TF	328.04° Mag / 310.56° True	N/A	-11000	N/A	N/A	N/A	12.26	N/A	OTHER	RNAV 1 or RNP 1
40	SUSKI	N	N/A	ORAKI	TF	328.08° Mag / 310.65° True	N/A	N/A	N/A	N/A	N/A	10.31	N/A	OTHER	RNAV 1 or RNP 1
50	SUSKI	N	N/A	SUSKI	TF	281.61° Mag / 264.21° True	N/A	N/A	N/A	N/A	N/A	20.78	N/A	OTHER	RNAV 1 or RNP 1

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
ISEPA	S 29:59:32.40W 51:16:58.20
EGBAM	S 30:10:13.41W 51:17:10.65
EDSEP	S 30:29:56.42W 51:27:36.82
TEMEK	S 30:34:28.80W 51:33:01.20
AMVOM	S 30:30:10.09W 51:36:27.30
DOVNA	S 30:40:10.00W 51:53:07.20
DEVOT	S 31:13:44.50W 52:44:25.58
TOKAK	S 30:41:43.67W 52:48:38.51
ISOBU	S 30:43:49.67W 53:22:58.86
POXEV	S 30:19:20.70W 53:27:12.77
GEMGI	S 29:59:18.00W 51:28:15.00
PA062	S 29:51:18.28W 51:38:57.49
ORAKI	S 29:44:33.93W 51:47:56.76
SUSKI	S 29:46:37.82W 52:11:41.87
PA053	S 30:15:25.58W 51:31:45.76
PA054	S 30:15:26.51W 51:45:00.60
PA056	S 30:15:26.41W 51:54:21.27
PA057	S 30:15:21.92W 52:24:13.60
KEXEL	S 29:48:02.40W 52:57:13.20

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
29	S 29:59:39.79 W 51:10:58.82	11.20

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT