



## CODING TABLE

SID AERON 2A - JULIA 2A RWY 07					RIO BRANCO / Plácido de Castro, INTL (SBRB)							SBRB_SID_00A	30 OCT 25		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	AERON	N/A	RCO	N/A	VA	66.25° Mag / 55.06° True	N/A	N/A	+1100	N/A	N/A	N/A	N/A	OTHER	N/A
20	AERON	N/A	N/A	N/A	VR	215.00° Mag / 203.78° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	AERON	N/A	RCO	AERON	CF	305.34° Mag / 294.16° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
10	JULIA	N/A	RCO	N/A	VA	66.25° Mag / 55.36° True	N/A	N/A	+1100	N/A	N/A	N/A	N/A	OTHER	N/A
20	JULIA	N/A	N/A	N/A	VR	280.00° Mag / 268.78° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	JULIA	N/A	RCO	JULIA	CF	350.08° Mag / 338.91° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
SID AERON 2B – JULIA 2B RWY 25					RIO BRANCO / Plácido de Castro, INTL (SBRB)							SBRB_SID_00A	30 OCT 25		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	AERON	N/A	RCO	N/A	VA	246.24° Mag / 235.06° True	N/A	N/A	+1100	250	-	N/A	N/A	OTHER	N/A
20	AERON	N/A	RCO	AERON	CF	304.41° Mag / 293.23° True	R	N/A	N/A	250	-	N/A	N/A	OTHER	N/A
10	JULIA	N/A	RCO	N/A	VA	246.24° Mag / 235.06° True	N/A	N/A	+1100	250	-	N/A	N/A	OTHER	N/A
20	JULIA	N/A	N/A	N/A	VR	43.00° Mag / 31.85° True	R	N/A	N/A	250	-	N/A	N/A	OTHER	N/A
30	JULIA	N/A	RCO	JULIA	CF	350.08° Mag / 338.91° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
07	S 09:51:49.46 / W 067:53:08.42	597.00
25	S 09:52:27.58 / W 067:54:07.91	633.00

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
AERON	S 09:34:40.80W 068:32:21.60
JULIA	S 09:12:37.80W 068:08:10.80
VOR/DME RCO	S 09:52:33.54W 067:54:19.37

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT