



CODING TABLE

IAC RNP RWY 35					UBERABA / Mário de Almeida Franco (SBUR)							SBUR_IAC_00G		16 APR 26	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	UR476	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	UR473	TF	351.04° Mag / 329.03° True	N/A	N/A	+4400	N/A	N/A	5.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	UR477	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	UR473	TF	60.95° Mag / 38.99° True	N/A	N/A	+4400	N/A	N/A	6.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	UR474	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	UR473	TF	280.96° Mag / 258.93° True	N/A	N/A	+4400	N/A	N/A	6.00	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	UR473	IF	N/A	N/A	N/A	+4400	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	UR472	TF	351.04° Mag / 329.05° True	N/A	N/A	R4310	N/A	N/A	5.00	N/A	FAF	RNP APCH
30	FINAL	N	N/A	UR022*	TF	351.32° Mag / 329.34° True	N/A	N/A	R3432	N/A	N/A	2.74	-3.00	SDF	RNP APCH
40	FINAL	Y	N/A	RWY35	TF	350.93° Mag / 328.95° True	N/A	N/A	@2700	N/A	N/A	2.30	-3.00	LTP	RNP APCH
10	MA	N/A	N/A	N/A	CA	350.93° Mag / 328.96° True	N/A	N/A	+3600	N/A	N/A	N/A	N/A	OTHER	RNP APCH
20	MA	Y	N/A	UR477	DF	N/A	L	N/A	+5000	N/A	N/A	N/A	N/A	MAHF	RNP APCH
30	MA	Y	N/A	UR477	HM	61.00° Mag / 39.04° True	L	N/A	+5000	N/A	N/A	1.00 min	N/A	MAHF	RNP APCH

*Fictitious point: Only for coding purposes.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
UR473	S 19:54:55.60W 47:52:10.80
UR472	S 19:50:37.30W 47:54:54.50
UR477	S 19:59:36.50W 47:56:11.20
UR022	S 19:48:15.33W 47:56:23.43
UR476	S 19:59:13.80W 47:49:27.00
UR474	S 19:53:46.30W 47:45:55.80
RWY35	S 19:46:16.65W 47:57:38.94

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT