



## CODING TABLE

IAC VOR RWY 29					SANTA MARIA / Santa Maria (SBSM)							SBSM_IAC_00M		15 JUL 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	MOXEL	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IAF	N/A
20	APCH	N/A	N/A	PAKIM	AF	N/A	R	N/A	+3000	N/A	N/A	N/A	N/A	IF	N/A
10	APCH	N/A	N/A	KUBSU	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IAF	N/A
20	APCH	N/A	N/A	PAKIM	AF	N/A	L	N/A	+3000	N/A	N/A	N/A	N/A	IF	N/A
10	FINAL	N/A	N/A	PAKIM	IF	N/A	N/A	N/A	+3000	N/A	N/A	N/A	N/A	IF	N/A
20	FINAL	N/A	SMA	NAXEG	CF	290.00° Mag / 274.40° True	N/A	N/A	R2110	N/A	N/A	7.05	N/A	FAF	N/A
30	FINAL	N/A	SMA	SMA16*	CF	290.00° Mag / 274.40° True	N/A	N/A	R1750	N/A	N/A	1.00	-3.40	SDF	N/A
40	FINAL	N/A	SMA	SMA17*	CF	290.00° Mag / 274.40° True	N/A	N/A	R1028	N/A	N/A	2.00	-3.40	SDF	N/A
50	FINAL	N/A	SMA	SMA07*	CF	290.00° Mag / 274.40° True	N/A	N/A	@306	N/A	N/A	2.00	-3.40	FTP	N/A
10	MA	N/A	SMA	N/A	CA	289.98° Mag / 274.38° True	N/A	N/A	+900	210	-	N/A	N/A	OTHER	N/A
20	MA	N/A	SMA	KUBSU	CF	210.79° Mag / 195.19° True	L	N/A	+4000	210	-	N/A	N/A	MAHF	N/A
30	MA	N/A	SMA	KUBSU	HM	30.79° Mag / 15.19° True	R	N/A	+4000	N/A	N/A	1.00 min	N/A	MAHF	N/A

(\* ) Fictitious point only for coding purpose

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
SMA	S 29:42:35.14W 53:42:45.88
PAKIM	S 29:43:38.91W 53:26:45.75
NAXEG	S 29:43:07.09W 53:34:50.23
SMA16	S 29:43:02.54W 53:35:58.94
SMA17	S 29:42:53.41W 53:38:16.35
SMA07	S 29:42:44.23W 53:40:33.75
KUBSU	S 29:56:06.72W 53:46:59.28
MOXEL	S 29:32:34.13W 53:31:33.46

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT