



**CODING TABLE**

SID RNAV ARVOR 1A RWY 30						MACEIÓ / Zumbi dos Palmares, INTL (SBMO)						SBMO_SID_00F		25 JAN 24	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	ARVOR	N/A	N/A	N/A	CA	302.77° Mag / 280.70° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	ARVOR	N	N/A	ARVOR	DF	N/A	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV DENDO 3A RWY 30						MACEIÓ / Zumbi dos Palmares, INTL (SBMO)						SBMO_SID_00F		25 JAN 24	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	DENDO	N/A	N/A	N/A	CA	302.77° Mag / 280.70° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	DENDO	N	N/A	DENDO	DF	N/A	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV GAVAK 1A RWY 30						MACEIÓ / Zumbi dos Palmares, INTL (SBMO)						SBMO_SID_00F		25 JAN 24	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	GAVAK	N/A	N/A	N/A	CA	302.77° Mag / 280.70° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	GAVAK	N	N/A	GAVAK	DF	N/A	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV OBLAX 1A RWY 30						MACEIÓ / Zumbi dos Palmares, INTL (SBMO)						SBMO_SID_00F		25 JAN 24	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	OBLAX	N/A	N/A	N/A	CA	302.77° Mag / 280.70° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	OBLAX	N	N/A	OBLAX	DF	N/A	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV REGED 1A RWY 30					MACEIÓ / Zumbi dos Palmares, INTL (SBMO)							SBMO_SID_00F	25 JAN 24		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	REGED	N/A	N/A	N/A	CA	302.77° Mag / 280.70° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	REGED	N	N/A	REGED	DF	N/A	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV SIDOP 1A RWY 30					MACEIÓ / Zumbi dos Palmares, INTL (SBMO)							SBMO_SID_00F	25 JAN 24		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	SIDOP	N/A	N/A	N/A	CA	302.77° Mag / 280.70° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	SIDOP	N	N/A	SIDOP	DF	N/A	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV UKARI 3A RWY 30					MACEIÓ / Zumbi dos Palmares, INTL (SBMO)							SBMO_SID_00F	25 JAN 24		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	UKARI	N/A	N/A	N/A	CA	302.77° Mag / 280.70° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	UKARI	N	N/A	UKARI	DF	N/A	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
REGED	S 08:56:51.25W 36:09:54.65
UKARI	S 08:49:52.80W 35:21:46.80
SIDOP	S 10:22:29.86W 35:47:45.86
GAVAK	S 09:53:02.05W 37:08:35.85
DENDO	S 10:14:48.60W 36:25:46.20
OBLAX	S 09:54:57.91W 36:44:58.67
ARVOR	S 10:21:02.60W 36:18:39.49

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
30	S 09:30:31.10 W 35:48:11.93	388.19

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT