



CODING TABLE

RNP W RWY 06					MACAÉ / Macaé (SBME)							SBME_IAC_00J	21 MAR 24		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	ME004	IF	N/A	N/A	N/A	+2000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	ME002	TF	326.81° Mag / 303.33° True	N/A	N/A	+1500	N/A	N/A	3.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	ME006	IF	N/A	N/A	N/A	+2000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	ME002	TF	56.82° Mag / 33.36° True	N/A	N/A	+1500	N/A	N/A	3.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	ME003	IF	N/A	N/A	N/A	+2000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	ME002	TF	146.83° Mag / 123.37° True	N/A	N/A	+1500	N/A	N/A	3.00	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	ME002	IF	N/A	N/A	N/A	+1500	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	ME001	TF	56.82° Mag / 33.35° True	N/A	N/A	R1473	N/A	N/A	3.00	N/A	FAF	RNP APCH
30	FINAL	N	N/A	ME016*	TF	57.97° Mag / 34.49° True	N/A	N/A	R715	N/A	N/A	1.92	-3.72	SDF	RNP APCH
40	FINAL	Y	N/A	RWY06	TF	55.50° Mag / 32.01° True	N/A	N/A	@43	N/A	N/A	1.70	-3.72	LTP	RNP APCH
10	MA	Y	N/A	ME007	TF	56.82° Mag / 33.33° True	N/A	N/A	+2000	N/A	N/A	9.43	2.41	MAHF	RNP APCH
20	MA	Y	N/A	ME007	HM	237.00° Mag / 213.47° True	R	N/A	+2000	N/A	N/A	1.00 min	N/A	MAHF	RNP APCH

*Only for coding purpose

Latitude / Longitude (WGS84) DD:MM:SS.SS	
ME001	S 22:23:32.07W 41:48:03.13
ME002	S 22:26:02.96W 41:49:49.92
ME003	S 22:24:23.63W 41:52:32.18
ME004	S 22:27:42.24W 41:47:07.59
ME006	S 22:28:33.83W 41:51:36.77
ME007	S 22:12:35.56W 41:40:19.43
ME016	S 22:21:56.85W 41:46:52.79
RWY06	S 22:20:30.05 W 41:45:54.46

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT