



## CODING TABLE

SID RNAV ESNUX 1E RWY 13					PORTO ALEGRE / Canoas, MIL (SBCO)							SBCO_SID_02J		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RUNWAY	Y	N/A	CO004	CF	126.70° Mag 109.44° True	N/A	N/A	N/A	N/A	N/A	3.00	3.66	OTHER	RNAV 1 or RNP 1
20	RUNWAY	N	N/A	ESNUX	TF	202.86° Mag 185.72° True	N/A	B6000	B5000	N/A	N/A	13.88	3.66	OTHER	RNAV 1 or RNP 1
10	ISOBU	N/A	N/A	ESNUX	IF	N/A	N/A	B6000	B5000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	ISOBU	N	N/A	AMVOM	TF	251.91° Mag 235.22° True	N/A	N/A	N/A	N/A	N/A	31.93	N/A	OTHER	RNAV 1 or RNP 1
30	ISOBU	N	N/A	DOVNA	TF	251.76° Mag 235.33° True	N/A	N/A	N/A	N/A	N/A	17.51	N/A	OTHER	RNAV 1 or RNP 1
40	ISOBU	N	N/A	TOKAK	TF	282.90° Mag 267.15° True	N/A	N/A	N/A	N/A	N/A	50.36	N/A	OTHER	RNAV 1 or RNP 1
50	ISOBU	N	N/A	ISOBU	TF	283.54° Mag 268.17° True	N/A	N/A	N/A	N/A	N/A	27.20	N/A	OTHER	RNAV 1 or RNP 1
10	TOKAK	N/A	N/A	ESNUX	IF	N/A	N/A	B6000	B5000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	TOKAK	N	N/A	AMVOM	TF	251.91° Mag 235.22° True	N/A	N/A	N/A	N/A	N/A	31.93	N/A	OTHER	RNAV 1 or RNP 1
30	TOKAK	N	N/A	DOVNA	TF	251.76° Mag 235.33° True	N/A	N/A	N/A	N/A	N/A	17.51	N/A	OTHER	RNAV 1 or RNP 1
40	TOKAK	N	N/A	TOKAK	TF	282.90° Mag 267.15° True	N/A	N/A	N/A	N/A	N/A	50.33	N/A	OTHER	RNAV 1 or RNP 1
10	POXEV	N/A	N/A	ESNUX	IF	N/A	N/A	B6000	B5000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	POXEV	N	N/A	AMVOM	TF	251.91° Mag 235.22° True	N/A	N/A	N/A	N/A	N/A	31.93	N/A	OTHER	RNAV 1 or RNP 1
30	POXEV	N	N/A	DOVNA	TF	251.76° Mag 235.33° True	N/A	N/A	N/A	N/A	N/A	17.51	N/A	OTHER	RNAV 1 or RNP 1
40	POXEV	N	N/A	POXEV	TF	300.24° Mag 284.73° True	N/A	N/A	N/A	N/A	N/A	83.90	N/A	OTHER	RNAV 1 or RNP 1
10	DEVOT	N/A	N/A	ESNUX	IF	N/A	N/A	B6000	B5000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	DEVOT	N	N/A	AMVOM	TF	251.91° Mag 235.22° True	N/A	N/A	N/A	N/A	N/A	31.93	N/A	OTHER	RNAV 1 or RNP 1

30	DEVOT	N	N/A	DEVOT	TF	248.60° Mag 233.01° True	N/A	N/A	N/A	N/A	N/A	55.40	N/A	OTHER	RNAV 1 or RNP 1
10	TEMEK	N/A	N/A	ESNUX	IF	N/A	N/A	B6000	B5000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	TEMEK	N	N/A	EDSEP	TF	242.64° Mag 225.86° True	N/A	N/A	N/A	N/A	N/A	25.87	N/A	OTHER	RNAV 1 or RNP 1
30	TEMEK	N	N/A	TEMEK	TF	242.55° Mag 225.89° True	N/A	N/A	N/A	N/A	N/A	6.50	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV SUSKI 1E RWY 13					PORTO ALEGRE / Canoas, MIL (SBCO)							SBCO_SID_02J		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	SUSKI	Y	N/A	CO004	CF	126.70° Mag 109.44° True	N/A	N/A	N/A	220	-	3.00	3.66	OTHER	RNAV 1 or RNP 1
20	SUSKI	N	N/A	CO017	TF	33.01° Mag 15.68° True	N/A	N/A	N/A	220	-	5.90	3.66	OTHER	RNAV 1 or RNP 1
30	SUSKI	N	N/A	KOVGI	TF	318.96° Mag 301.75° True	N/A	N/A	+9000	N/A	N/A	16.99	3.66	OTHER	RNAV 1 or RNP 1
40	SUSKI	N	N/A	ORAKI	TF	284.25° Mag 267.36° True	N/A	N/A	N/A	N/A	N/A	24.90	N/A	OTHER	RNAV 1 or RNP 1
50	SUSKI	N	N/A	SUSKI	TF	281.02° Mag 264.41° True	N/A	N/A	N/A	N/A	N/A	20.78	N/A	OTHER	RNAV 1 or RNP 1

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
CO004	S 29:58:00.39W 51:04:35.92
ESNUX	S 30:11:51.00W 51:06:11.40
EDSEP	S 30:29:56.42W 51:27:36.82
TEMEK	S 30:34:28.80W 51:33:01.20
AMVOM	S 30:30:10.09W 51:36:27.30
DOVNA	S 30:40:10.00W 51:53:07.20
DEVOT	S 31:13:44.50W 52:44:25.58
TOKAK	S 30:42:53.69W 52:51:26.80
ISOBU	S 30:43:49.67W 53:22:58.86
POXEV	S 30:19:20.70W 53:27:12.77
CO017	S 29:52:18.51W 51:02:45.66
KOVGI	S 29:43:21.80W 51:19:22.88
ORAKI	S 29:44:33.93W 51:47:56.76
SUSKI	S 29:46:37.82W 52:11:41.87

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
13	S 29:57:00.31 W 51:07:51.31	23.36

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT