



## CODING TABLE

IAC ILS Y RWY 27L					SÃO PAULO / Gov. André Franco Montoro, INTL (SBGR)							SBGR_IAC_03Z		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	UTKUG	IF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	IAF	RNP 1 or RNAV 1
20	APCH	N	N/A	ETIKO	TF	226.53° Mag 205.55° True	N/A	N/A	+4500	N/A	N/A	5.49	N/A	IF	RNP 1 or RNAV 1
10	FINAL	N/A	N/A	ETIKO	IF	N/A	N/A	N/A	+4500	N/A	N/A	N/A	N/A	IF	N/A
20	FINAL	N	IBC	VUSNI	TF	274.58° Mag 253.65° True	N/A	N/A	R4090	N/A	N/A	4.99	N/A	FAF	N/A
30	FINAL	N	IBC	RW27L	CF	274.57° Mag 253.68° True	N/A	N/A	@2497	N/A	N/A	5.00	-3.0	LTP/FTP	N/A
10	MA	N/A	N/A	N/A	VA	274.57° Mag 253.66° True	N/A	N/A	+3400	230	-	N/A	N/A	OTHER	RNP 1 or RNAV 1
20	MA	N/A	N/A	ISIMU	DF	N/A	L	N/A	+6000	230	-	N/A	N/A	MAHF	RNP 1 or RNAV 1
30	MA	Y	N/A	ISIMU	HM	130.00° Mag 109.07° True	R	N/A	+6000	N/A	N/A	N/A	N/A	MAHF	RNP 1 or RNAV 1

(\* ) Fictitious point = for coding purpose only.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
UTKUG	S 23:18:04.41W 46:14:31.55
ETIKO	S 23:23:02.77W 46:17:05.98
VUSNI	S 23:24:27.61W 46:22:18.87
RW27L	S 23:25:52.28 W 46:27:31.88
ISIMU	S 23:31:14.03W 46:20:19.45
IBC	S 23:26:22.80W 46:29:24.60

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT