



CODING TABLE

SID KIMOS 1A RWY 16L					NATAL / Augusto Severo, MIL (SBNT)							SBNT_SID_01F		15 JUL 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N/A	NTL	KIMOS	CF	161.72° Mag 140.42° True	N/A	N/A	+3000	N/A	N/A	11.71	N/A	OTHER	N/A
10	RATEP	N/A	N/A	KIMOS	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
20	RATEP	N/A	N/A	NTL	DF	N/A	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	RATEP	N/A	NTL	RATEP	CF	309.75° Mag 288.44° True	N/A	N/A	N/A	N/A	N/A	40.01	N/A	OTHER	N/A
10	SAFUC	N/A	N/A	KIMOS	IF	N/A	N/A	N/A	+3000	N/A	N/A	N/A	N/A	OTHER	N/A
20	SAFUC	N/A	N/A	N/A	VI	270.00° Mag 248.66° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	SAFUC	N/A	NTL	SAFUC	CF	193.12° Mag 171.81° True	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID KIMOS 1A RWY 16R					NATAL / Augusto Severo, MIL (SBNT)							SBNT_SID_01F		15 JUL 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N/A	NTL	KIMOS	CF	161.72° Mag 140.42° True	N/A	N/A	+3000	N/A	N/A	12.05	N/A	OTHER	N/A
10	RATEP	N/A	N/A	KIMOS	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
20	RATEP	N/A	N/A	NTL	DF	N/A	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	RATEP	N/A	NTL	RATEP	CF	309.75° Mag 288.44° True	N/A	N/A	N/A	N/A	N/A	40.01	N/A	OTHER	N/A
10	SAFUC	N/A	N/A	KIMOS	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
20	SAFUC	N/A	N/A	N/A	VI	270.00° Mag 248.66° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	SAFUC	N/A	NTL	SAFUC	CF	193.12° Mag 171.81° True	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
NTL	S 05:54:30.00W 35:14:55.20
KIMOS	S 06:04:20.06W 35:06:47.80
SAFUC	S 06:54:10.80W 35:06:19.80
RATEP	S 05:41:45.60W 35:52:59.40

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (ft)
16L	S 05:55:12.31 W 35:14:12.41	138 ft MSL
16R	S 05:55:12.50 W 35:14:45.67	151 ft MSL

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT