



CODING TABLE

IAC RNP Z RWY 05					IPATINGA / Usiminas (SBIP)							SBIP_IAC_00E		28 JAN 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N	N/A	IP009	IF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	IP006	TF	38.80° Mag 15.40° True	N/A	N/A	+4000	N/A	N/A	5.00	N/A	IF	RNP APCH
10	APCH	N	N/A	IP011	IF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	IP006	TF	128.80° Mag 105.40° True	N/A	N/A	+4000	N/A	N/A	5.00	N/A	IF	RNP APCH
10	APCH	N	N/A	IP012	IF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	IP006	TF	308.80° Mag 285.40° True	N/A	N/A	+4000	N/A	N/A	5.00	N/A	IF	RNP APCH
10	FINAL	N	N/A	IP006	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	IP007	TF	38.80° Mag 15.39° True	N/A	N/A	R2430	N/A	N/A	5.00	N/A	FAF	RNP APCH
30	FINAL	N	N/A	*IP008	TF	53.80° Mag 30.39° True	N/A	N/A	R1630	N/A	N/A	2.50	-3.00	SDF	RNP APCH
40	FINAL	Y	N/A	RWY05	TF	53.80° Mag 30.38° True	N/A	N/A	@833	N/A	N/A	2.50	-3.00	LTP/FTP	RNP APCH
10	MA	N	N/A	N/A	VA	53.80° Mag 30.37° True	N/A	N/A	+2200	N/A	N/A	N/A	N/A	OTHER	RNP APCH
20	MA	Y	N/A	IP012	DF	N/A	R	N/A	+6000	N/A	N/A	N/A	N/A	MAHF	RNP APCH
30	MA	Y	N/A	IP012	HM	308.82° Mag 285.40° True	R	N/A	+6000	N/A	N/A	1 min	N/A	MAHF	RNP APCH

*Fictitious point. Only used for coding purpose.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
IP006	S 19:37:52.81W 42:33:37.56
IP007	S 19:33:02.47W 42:32:13.22
*IP008	S 19:30:52.58W 42:30:52.88
RWY05	S 19:28:42.69W 42:29:32.58
IP009	S 19:42:43.13W 42:35:01.99
IP011	S 19:36:32.78W 42:38:43.94
IP012	S 19:39:12.69W 42:28:31.11

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT