



CODING TABLE

IAC RNP X RWY 24					MACAÉ / Macaé (SBME)							SBME_IAC_00K	16 MAY 24		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	ME011	IF	N/A	N/A	N/A	+2000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	ME009	TF	146.84° Mag / 123.32° True	N/A	N/A	+1600	N/A	N/A	3.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	ME007	IF	N/A	N/A	N/A	+2000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	ME009	TF	236.83° Mag / 213.29° True	N/A	N/A	+1600	N/A	N/A	3.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	ME034	IF	N/A	N/A	N/A	+2000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	ME009	TF	326.82° Mag / 303.28° True	N/A	N/A	+1600	N/A	N/A	3.00	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	ME009	IF	N/A	N/A	N/A	+1600	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	ME008	TF	236.83° Mag / 213.30° True	N/A	N/A	R1310	N/A	N/A	3.00	N/A	FAF	RNP APCH
30	FINAL	N	N/A	ME033*	TF	236.84° Mag / 213.32° True	N/A	N/A	R517	N/A	N/A	2.00	-3.72	SDF	RNP APCH
40	FINAL	Y	N/A	RWY24	TF	236.84° Mag / 213.33° True	N/A	N/A	@43	N/A	N/A	1.20	-3.72	LTP	RNP APCH
10	MA	Y	N/A	ME006	TF	236.83° Mag / 213.32° True	N/A	N/A	+2000	N/A	N/A	9.85	+2.41	MAHF	RNP APCH
20	MA	Y	N/A	ME006	HM	56.80° Mag / 33.32° True	R	N/A	+2000	N/A	N/A	1.00 min	N/A	MAHF	RNP APCH

*Fictitious point only for coding purposes.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
ME006	S 22:28:33.83W 41:51:36.77
ME007	S 22:12:35.56W 41:40:19.43
ME008	S 22:17:37.49W 41:43:52.50
ME009	S 22:15:06.54W 41:42:05.93
ME034	S 22:16:45.69W 41:39:23.72
ME011	S 22:13:27.34W 41:44:48.08
ME033	S 22:19:18.11W 41:45:03.60
RWY24	S 22:20:18.47W 41:45:46.27

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT