



CODING TABLE

SID ADA 2A RWY 06					MACAÉ / Macaé (SBME)							SBME_SID_00B		25 FEB 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	ADA	N/A	N/A	N/A	VA	56.82° Mag / 33.35° True	N/A	N/A	+1500	230	-	N/A	N/A	N/A	N/A
20	ADA	N/A	MCA	MCA	DF	N/A	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	ADA	N/A	MCA	MCA02*	CF	236.32° Mag / 212.84° True	L	N/A	+5000	N/A	N/A	N/A	N/A	OTHER	N/A
40	ADA	N/A	MCA	ADA	CF	236.18° Mag / 212.84° True	N/A	N/A	N/A	N/A	N/A	13.35	N/A	OTHER	N/A

SID GIKPO 2A RWY 06					MACAÉ / Macaé (SBME)							SBME_SID_00B		25 FEB 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	GIKPO	N/A	N/A	N/A	VA	56.82° Mag / 33.35° True	N/A	N/A	+1500	230	-	N/A	N/A	N/A	N/A
20	GIKPO	N/A	MCA	GIKPO	CF	61.82° Mag / 38.35° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID SIKIV 2A RWY 06					MACAÉ / Macaé (SBME)							SBME_SID_00B		25 FEB 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	SIKIV	N/A	N/A	N/A	VA	56.82° Mag / 33.35° True	N/A	N/A	+1500	230	-	N/A	N/A	N/A	N/A
20	SIKIV	N/A	N/A	N/A	VI	222.00° Mag / 198.51° True	R	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
30	SIKIV	N/A	MCA	MCA01*	CF	191.62° Mag / 168.14° True	L	N/A	+5000	N/A	N/A	N/A	N/A	OTHER	N/A
40	SIKIV	N/A	MCA	SIKIV	CF	191.62° Mag / 168.14° True	N/A	N/A	N/A	N/A	N/A	4.03	N/A	OTHER	N/A

50	SIKIV	N/A	ADA	ADA	CF	282.22° Mag / 258.89° True	R	N/A	N/A	N/A	N/A	23.46	N/A	OTHER	N/A
----	-------	-----	-----	-----	----	-------------------------------	---	-----	-----	-----	-----	-------	-----	-------	-----

SID ADA 2B RWY 24					MACAÉ / Macaé (SBME)							SBME_SID_00B		25 FEB 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	ADA	N/A	N/A	N/A	VA	236.82° Mag / 213.35° True	N/A	N/A	+1500	230	-	N/A	2.52	N/A	N/A
20	ADA	N/A	MCA	MCA02*	CF	236.32° Mag / 212.84° True	N/A	N/A	+5000	N/A	N/A	N/A	N/A	N/A	N/A
30	ADA	N/A	MCA	ADA	CF	236.18° Mag / 212.84° True	N/A	N/A	N/A	N/A	N/A	13.35	N/A	OTHER	N/A

SID GIKPO 2B RWY 24					MACAÉ / Macaé (SBME)							SBME_SID_00B		25 FEB 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	GIKPO	N/A	N/A	N/A	VA	236.82° Mag / 213.35° True	N/A	N/A	+1500	230	-	N/A	2.52	N/A	N/A
20	GIKPO	N/A	MCA	MCA	DF	N/A	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	GIKPO	N/A	MCA	GIKPO	CF	61.82° Mag / 38.35° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID SIKIV 2B RWY 24					MACAÉ / Macaé (SBME)							SBME_SID_00B		25 FEB 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	SIKIV	N/A	N/A	N/A	VA	236.82° Mag / 213.35° True	N/A	N/A	+1500	230	-	N/A	2.52	N/A	N/A
20	SIKIV	N/A	MCA	MCA01*	CF	191.62° Mag / 168.14° True	L	N/A	+5000	N/A	N/A	N/A	N/A	N/A	N/A
30	SIKIV	N/A	MCA	SIKIV	CF	191.62° Mag / 168.14° True	N/A	N/A	N/A	N/A	N/A	4.00	N/A	N/A	N/A
40	SIKIV	N/A	ADA	ADA	CF	282.22° Mag / 258.89° True	R	N/A	N/A	N/A	N/A	23.46	N/A	OTHER	N/A

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (ft)
06	S 22:20:18.57 W 41:45:46.34	7.94 ft MSL
24	S 22:20:51.06 W 41:46:09.32	7.97 ft MSL

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
MCA	S 22:20:40.01W 41:46:08.40
ADA	S 22:48:45.99W 42:05:43.22
GIKPO	S 21:43:49.80W 41:14:59.40
MCA01	S 22:40:18.41W 41:41:41.82
MCA02	S 22:37:31.25W 41:57:51.89
SIKIV	S 22:44:15.60W 41:40:48.00

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT