



CODING TABLE

IAC RNP 130					MACAÉ / Plataforma P-25 (SBLB)							SBLB_IAC_00C		01 DEC 22	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	LB006	IF	N/A	N/A	N/A	+2000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	LB007	TF	102.22° Mag 78.36° True	N/A	N/A	+1300	N/A	N/A	5.00	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	LB007	IF	N/A	N/A	N/A	+1300	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	LB008	TF	129.68° Mag 105.79° True	N/A	N/A	+1300	N/A	N/A	6.46	N/A	FAF	RNP APCH
30	FINAL	Y	N/A	LB009	TF	129.67° Mag 105.77° True	N/A	N/A	+600	N/A	N/A	3.20	-3.70	MAPT	RNP APCH
10	MA	Y	N/A	LB011	TF	129.65° Mag 105.73° True	N/A	N/A	+2000	N/A	N/A	6.00	N/A	MAHF	RNP APCH
20	MA	Y	N/A	LB011	HM	129.65° Mag 105.73° True	L	N/A	+2000	N/A	N/A	1.00 min	N/A	MAHF	RNP APCH

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
LB006	S 22:02:53.73W 40:10:30.25
LB007	S 22:01:53.08W 40:05:13.95
LB008	S 22:03:39.10W 39:58:32.27
LB009	S 22:04:31.49W 39:55:13.34
LB011	S 22:06:09.52W 39:49:00.25

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE