



CODING TABLE

IAC RNP RWY 09					PATOS DE MINAS / Patos de Minas (SNPD)							SNPD_IAC_00A			25 JAN 24
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role Of TheFix	Navigation Specification
10	APCH	N/A	N/A	PD006	IF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	PD003	TF	181.17° Mag / 158.80° True	N/A	N/A	+4600	N/A	N/A	6.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	PD007	IF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	PD003	TF	1.22° Mag / 338.83° True	N/A	N/A	+4600	N/A	N/A	6.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	PD004	IF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	PD003	TF	91.18° Mag / 68.83° True	N/A	N/A	+4600	N/A	N/A	5.00	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	PD003	IF	N/A	N/A	N/A	+4600	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	PD002	TF	91.18° Mag / 68.80° True	N/A	N/A	R4430	N/A	N/A	5.00	N/A	FAF	RNP APCH
30	FINAL	Y	N/A	RWY09	TF	91.21° Mag / 68.80° True	N/A	N/A	@2834	N/A	N/A	5.00	-3.00	LTP	RNP APCH
10	MA	N/A	N/A	N/A	VA	91.21° Mag / 68.78° True	N/A	N/A	+4500	N/A	N/A	N/A	N/A	OTHER	RNP APCH
20	MA	Y	N/A	PD007	DF	N/A	R	N/A	+6000	N/A	N/A	N/A	N/A	MAHF	RNP APCH
30	MA	Y	N/A	PD007	HM	1.22° Mag / 338.83° True	R	N/A	+6000	N/A	N/A	1.00 min	N/A	MAHF	RNP APCH

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
PD007	S 18:49:46.58W 46:37:27.96
PD006	S 18:38:32.63W 46:42:02.15
PD004	S 18:45:58.39W 46:44:39.73
PD003	S 18:44:09.56W 46:39:44.96
PD002	S 18:42:20.60W 46:34:50.29
RWY09	S 18:40:31.64W 46:29:55.67

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT