



CODING TABLE

SID RNAV EDMOX 1A RWY 17					BAURU / Bauru - Arealva (SBAE)							SBAE_SID_00G		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role Of TheFix	Navigation Specification
10	RWY	Y	N/A	AE022	CF	174.33° Mag 153.88° True	N/A	N/A	N/A	N/A	N/A	3.00	1.89	TP	RNAV 1 or RNP 1
10	EN ROUTE	Y	N/A	AE022	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	TP	RNAV 1 or RNP 1
20	EN ROUTE	N	N/A	EDMOX	TF	115.91° Mag 095.58° True	L	N/A	N/A	N/A	N/A	25.11	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV OBLUG 1A RWY 17					BAURU / Bauru - Arealva (SBAE)							SBAE_SID_00G		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role Of TheFix	Navigation Specification
10	RWY	Y	N/A	AE022	CF	174.33° Mag 153.88° True	N/A	N/A	N/A	N/A	N/A	3.00	1.89	TP	RNAV 1 or RNP 1
10	EN ROUTE	Y	N/A	AE022	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	TP	RNAV 1 or RNP 1
20	EN ROUTE	N	N/A	AE027	TF	145.91° Mag 125.30° True	L	N/A	N/A	N/A	N/A	27.34	N/A	OTHER	RNAV 1 or RNP 1
30	EN ROUTE	N	N/A	OBLUG	TF	148.39° Mag 127.73° True	R	N/A	N/A	N/A	N/A	12.79	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV PERAU 1B RWY 17					BAURU / Bauru - Arealva (SBAE)							SBAE_SID_00G		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role Of TheFix	Navigation Specification
10	RWY	Y	N/A	AE022	CF	174.33° Mag 153.88° True	N/A	N/A	N/A	N/A	N/A	3.00	1.89	TP	RNAV 1 or RNP 1
10	EN ROUTE	Y	N/A	AE022	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	TP	RNAV 1 or RNP 1
20	EN ROUTE	N	N/A	PERAU	TF	51.08° Mag 30.52° True	L	N/A	N/A	260	-	15.59	N/A	OTHER	RNAV 1 or RNP 1
30	EN ROUTE	N	N/A	NENON	TF	50.78° Mag 30.14° True	N/A	N/A	N/A	N/A	N/A	10.72	N/A	OTHER	RNAV 1 or RNP 1
40	EN ROUTE	N	N/A	PUPGA	TF	51.31° Mag 30.61° True	N/A	N/A	N/A	N/A	N/A	9.20	N/A	OTHER	RNAV 1 or RNP 1
10	EN ROUTE	N	N/A	AE022	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	TP	RNAV 1 or RNP 1
20	EN ROUTE	N	N/A	PERAU	TF	51.08° Mag 30.52° True	L	N/A	N/A	260	-	15.59	N/A	OTHER	RNAV 1 or RNP 1
30	EN ROUTE	N	N/A	ENPEG	TF	357.38° Mag 336.84° True	L	N/A	N/A	N/A	N/A	14.86	N/A	OTHER	RNAV 1 or RNP 1
40	EN ROUTE	N	N/A	ISISA	TF	33.50° Mag 12.92° True	R	N/A	N/A	N/A	N/A	6.46	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV PUMUS 1A RWY 17					BAURU / Bauru - Arealva (SBAE)							SBAE_SID_00G		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role Of TheFix	Navigation Specification
10	RWY	Y	N/A	AE022	CF	174.33° Mag 153.88° True	N/A	N/A	N/A	N/A	N/A	3.00	1.89	TP	RNAV 1 or RNP 1
10	EN ROUTE	Y	N/A	AE022	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	TP	RNAV 1 or RNP 1
20	EN ROUTE	N	N/A	RIOJA	TF	93.66° Mag 72.99° True	L	N/A	N/A	N/A	N/A	23.23	N/A	OTHER	RNAV 1 or RNP 1
30	EN ROUTE	N	N/A	PUMUS	TF	79.33° Mag 58.53° True	L	N/A	N/A	N/A	N/A	14.60	N/A	OTHER	RNAV 1 or RNP 1

IDENT	Latitude / Longitude (WGS84) DD:MM:SS.SS
AE022	S 22:12:50.40W 49:02:32.40
AE027	S 22:28:43.51W 48:38:29.64
OBLUG	S 22:36:34.96W 48:27:34.42
RIOJA	S 22:06:03.01W 48:38:36.22
PUMUS	S 21:58:24.74W 48:25:11.78
PERAU	S 21:59:22.20W 48:54:00.60
NENON	S 21:50:04.02W 48:48:12.98
PUPGA	S 21:42:06.20W 48:43:09.80
ENPEG	S 21:45:39.44W 49:00:18.11
ISISA	S 21:39:20.40W 48:58:45.00
EDMOX	S 22:15:19.13W 48:35:36.77

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
17	S 22:10:07.99 W 49:03:57.78	1961 ft MSL

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE