



CODING TABLE

IAC RNP RWY 09					MANAUS / Campo Ponta Pelada, MIL (SBMN)							SBMN_IAC_00K		19 FEB 26	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	MN007	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	MN009	TF	2.80° Mag / 346.09° True	N/A	N/A	+2900	N/A	N/A	6.06	N/A	IF	RNP APCH
10	APCH	N	N/A	MN008	IF	N/A	N/A	N/A	+3000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N/A	N/A	MN009	TF	92.74° Mag / 76.09° True	N/A	N/A	+2900	N/A	N/A	6.06	N/A	IF	RNP APCH
10	FINAL	N	N/A	MN009	IF	N/A	N/A	N/A	+2900	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	MN011	TF	92.79° Mag / 76.09° True	N/A	N/A	+1900	N/A	N/A	5.00	N/A	FAF	RNP APCH
30	FINAL	N	N/A	MN071*	TF	92.82° Mag / 76.08° True	N/A	N/A	R1031	N/A	N/A	2.70	-3.00	SDF	RNP APCH
40	FINAL	Y	N/A	RWY09	TF	92.84° Mag / 76.08° True	N/A	N/A	@298	N/A	N/A	2.30	-3.00	LTP	RNP APCH
10	MA	N	N/A	N/A	CA	92.86° Mag / 76.08° True	N/A	N/A	+1500	N/A	N/A	N/A	N/A	OTHER	RNP APCH
20	MA	Y	N/A	MN007	DF	N/A	R	N/A	+4000	N/A	N/A	N/A	N/A	MAHF	RNP APCH
30	MA	Y	N/A	MN007	HM	2.79° Mag / 346.07° True	R	N/A	+4000	N/A	N/A	1.00min	N/A	MAHF	RNP APCH

*Fictitious point: Only for coding purposes.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
MN007	S 03:17:13.56W 60:07:59.69
MN009	S 03:11:19.15W 60:09:27.04
MN008	S 03:12:46.91W 60:15:19.63
RWY09	S 03:08:54.12W 59:59:44.83
MN011	S 03:10:06.65W 60:04:35.92
MN071	S 03:09:27.49W 60:01:58.74

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT