



CODING TABLE

IAC RNP Z RWY 20L (AR)					GAVIÃO PEIXOTO / EMBRAER - Unidade Gavião Peixoto (SBGP)							SBGP_IAC_00K	30 DEC 21		
Seq Num	IAP Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role Of TheFix	Navigation Specification
10	APCH	N	N/A	GP031	IF	N/A	N/A	N/A	+11000	N/A	N/A	N/A	N/A	IAF	RNP 1.0
20	APCH	N	N/A	GP032	TF	233.60° Mag 212.60° True	N/A	N/A	R91000	250	-	7.77	N/A	IF	RNP 1.0
10	FINAL	N	N/A	GP032	IF	N/A	N/A	N/A	N/A	250	-	N/A	N/A	IF	RNP 1.0
20	FINAL	N	N/A	GP034	RF	N/A	L	N/A	N/A	N/A	N/A	5.79	N/A	N/A	RNP 1.0
N/A	N/A	N/A	N/A	GP033*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	RADIUS 5.22	N/A	N/A	N/A
30	FINAL	N	N/A	GP036	TF	170.04° Mag 149.15° True	N/A	N/A	N/A	N/A	N/A	4.00	N/A	N/A	RNP 1.0
40	FINAL	N	N/A	GP038	RF	N/A	L	N/A	+5000	N/A	N/A	5.02	N/A	N/A	RNP 1.0
N/A	N/A	N/A	N/A	GP037*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	RADIUS 4.79	N/A	N/A	N/A
50	FINAL	N	N/A	GP007	RF	N/A	R	N/A	R3640	165	-	7.10	N/A	FAF	RNP 1.0
N/A	N/A	N/A	N/A	GP039*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	RADIUS 4.52	N/A	N/A	N/A
60	FINAL	Y	N/A	RW20L	TF	199.98° Mag 179.06° True	N/A	N/A	@2047	N/A	N/A	5.00	-3.00	LTP	RNP 0.3
10	MA	N	N/A	GP042	TF	199.98° Mag 179.06° True	N/A	N/A	N/A	N/A	N/A	1.08	N/A	N/A	RNP 0.5
20	MA	N	N/A	GP043	RF	N/A	R	N/A	N/A	N/A	N/A	13.70	N/A	N/A	RNP 1.0
N/A	N/A	N/A	N/A	GP041*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	RADIUS 4.36	N/A	N/A	N/A
30	MA	Y	N/A	GP044	TF	019.97° Mag 359.06° True	N/A	N/A	+4700	N/A	N/A	5.00	N/A	MAHF	RNP 1.0
40	MA	Y	N/A	GP044	HM	019.97° Mag 359.06° True	L	N/A	+4700	N/A	N/A	1.00 min	N/A	MAHF	RNP 1.0

* Fictitious point: only for coding purposes.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
GP007	S 21:40:03.70W 48:24:24.83
GP031	S 21:17:43.70W 48:31:26.79
GP032	S 21:24:17.48W 48:35:56.51
GP033*	S 21:27:07.29W 48:31:13.86
GP034	S 21:29:48.55W 48:36:02.26
GP036	S 21:33:15.34W 48:33:50.27
GP037*	S 21:30:47.13W 48:29:25.22
GP038	S 21:35:36.00W 48:29:20.48
GP039*	S 21:40:08.19W 48:29:16.01
GP041*	S 21:47:51.60W 48:28:57.73
GP042	S 21:47:47.26W 48:24:16.51
GP043	S 21:47:55.80W 48:33:38.95
GP044	S 21:42:54.77W 48:33:44.03
RW20L	S 21:45:04.72W 48:24:19.43

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT
*	FICTITIOUS POINT

MISSED APPROACH SEGMENT																
Track	Bank Angle(°)		TWC (KT)		IAS (KT)		D _{MASRNP} (NM)		TrD (NM)		Gradient (%)		RNP (NM)		TP Altitude (FT)	
	Used	STD	Used	STD	Used	STD	Used	STD	Used	STD	Used	STD	Used	STD	Used	STD

COD	Meaning
STD	Value according to ICAO Documents
TWC	Tail Wind Component
IAS	Indicated Air Speed
D _{frop}	Distance FROP-THEL
FROP	Final Roll-Out Point
TrD	Track Distance (Needed to comply turns)
TP Altitude	Turning Point Altitude
THEL	Threshold elevation
D _{MASRNP}	Maximum distance of RNP navigation accuracy (requirement less than 1.0 NM in the missed approach)