



CODING TABLE

IAC VOR Z RWY 28					RIO DE JANEIRO / Galeão - Antônio Carlos Jobim, INTL (SBGL)							SBGL_IAC_00W		26 DEC 24	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	SEDBU	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	N/A
20	APCH	N/A	CXI	EPKOG	AF	N/A	R	N/A	+3500	N/A	N/A	N/A	N/A	IF	N/A
10	APCH	N/A	N/A	KETUX	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	N/A
20	APCH	N/A	CXI	CXI26*	AF	N/A	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	APCH	N/A	CXI	EPKOG	CF	264.64° Mag 241.53° True	N/A	N/A	+3500	N/A	N/A	4.08	N/A	IF	N/A
10	FINAL	N/A	N/A	EPKOG	IF	N/A	N/A	N/A	+3500	N/A	N/A	N/A	N/A	IF	N/A
20	FINAL	N/A	CXI	DETOM	CF	264.64° Mag 241.53° True	N/A	N/A	+1800	N/A	N/A	6.00	N/A	FAF	N/A
30	FINAL	N/A	CXI	CXI27*	CF	264.37° Mag 241.26° True	N/A	N/A	R777	N/A	N/A	3.20	-3.00	SDF	N/A
40	FINAL	N/A	CXI	CXI28*	CF	264.63° Mag 241.53° True	N/A	N/A	@78	N/A	N/A	2.20	-3.00	FTP	N/A
10	MA	N/A	N/A	N/A	VA	264.63° Mag 241.53° True	N/A	N/A	+600	210	-	N/A	N/A	OTHER	N/A
20	MA	N/A	N/A	N/A	VI	100.00° Mag 76.89° True	R	N/A	N/A	210	-	N/A	N/A	OTHER	N/A
30	MA	N/A	CXI	SEDBU	CF	71.23° Mag 48.12° True	L	N/A	N/A	210	-	N/A	N/A	OTHER	N/A
40	MA	N/A	CXI	EPKOG	AF	N/A	R	N/A	+5000	210	-	N/A	N/A	MAHF	N/A
50	MA	N/A	CXI	EPKOG	HM	264.64° Mag 241.53° True	L	N/A	+5000	210	-	1.00 min	N/A	MAHF	N/A

(*) Fictitious point: Only for coding purposes.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
EPKOG	S 22:42:15.00W 43:02:09.00
DETOM	S 22:45:07.43W 43:07:51.00
CXI27	S 22:46:39.39W 43:10:53.55
CXI28	S 22:47:42.47W 43:12:58.86
SEDBU	S 22:39:32.41W 43:04:12.51
KETUX	S 22:43:20.40W 42:56:51.60
CXI26	S 22:40:04.76W 42:58:24.42

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE