



CODING TABLE

| SID RNAV EGBAL 2A RWY 18 | | | | | RIBEIRÃO PRETO, Leite Lopes (SBRP) | | | | | | | SBRP_SID_00F | | 20 MAY 21 | |
|--------------------------|-----------------------|----------|------------|-----------|------------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|--------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | EGBAL | N/A | N/A | N/A | CA | 184.73° Mag 163.27° True | N/A | N/A | +4000 | N/A | N/A | N/A | 2.86 | OTHER | N/A |
| 20 | EGBAL | N | RPR | EGBAL | CF | 93.83° Mag 71.97° True | L | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | N/A |

| SID RNAV EVTOB 2A RWY 18 | | | | | RIBEIRÃO PRETO, Leite Lopes (SBRP) | | | | | | | SBRP_SID_00F | | 20 MAY 21 | |
|--------------------------|-----------------------|----------|------------|-----------|------------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|--------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | EVTOB | N/A | N/A | N/A | CA | 184.73° Mag 163.27° True | N/A | N/A | +4000 | N/A | N/A | N/A | 2.86 | OTHER | N/A |
| 20 | EVTOB | N | RPR | EVTOB | CF | 133.21° Mag 111.39° True | L | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | N/A |

| SID RNAV KEXIT 2A RWY 18 | | | | | RIBEIRÃO PRETO, Leite Lopes (SBRP) | | | | | | | SBRP_SID_00F | | 20 MAY 21 | |
|--------------------------|-----------------------|----------|------------|-----------|------------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|--------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | KEXIT | N/A | N/A | N/A | CA | 184.73° Mag 163.27° True | N/A | N/A | +4000 | N/A | N/A | N/A | 2.86 | OTHER | N/A |
| 20 | KEXIT | N | RPR | KEXIT | CF | 54.71° Mag 33.02° True | L | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | N/A |

| SID RNAV NILPI 2A RWY 18 | | | | | RIBEIRÃO PRETO, Leite Lopes (SBRP) | | | | | | | SBRP_SID_00F | 20 MAY 21 | | |
|--------------------------|-----------------------|----------|------------|-----------|------------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|-----------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | NILPI | N/A | N/A | N/A | CA | 184.73° Mag 163.27° True | N/A | N/A | +4000 | N/A | N/A | N/A | 2.86 | OTHER | N/A |
| 20 | NILPI | N | RPR | NILPI | CF | 154.93° Mag 133.15° True | L | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | N/A |

| SID RNAV OPRUT 2A RWY 18 | | | | | RIBEIRÃO PRETO, Leite Lopes (SBRP) | | | | | | | SBRP_SID_00F | 20 MAY 21 | | |
|--------------------------|-----------------------|----------|------------|-----------|------------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|-----------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | OPRUT | N/A | N/A | N/A | CA | 184.73° Mag 163.27° True | N/A | N/A | +4000 | N/A | N/A | N/A | 2.86 | OTHER | N/A |
| 20 | OPRUT | N | RPR | OPRUT | CF | 145.66° Mag 123.72° True | L | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | N/A |

| SID RNAV ZANET 2A RWY 18 | | | | | RIBEIRÃO PRETO, Leite Lopes (SBRP) | | | | | | | SBRP_SID_00F | 20 MAY 21 | | |
|--------------------------|-----------------------|----------|------------|-----------|------------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|-----------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | ZANET | N/A | N/A | N/A | CA | 184.73° Mag 163.27° True | N/A | N/A | +4000 | N/A | N/A | N/A | 2.86 | OTHER | N/A |
| 20 | ZANET | N | RPR | ZANET | CF | 112.58° Mag 90.79° True | L | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | N/A |

| SID RNAV EGBAL 2A RWY 36 | | | | | RIBEIRÃO PRETO, Leite Lopes (SBRP) | | | | | | | SBRP_SID_00F | 20 MAY 21 | | |
|--------------------------|-----------------------|----------|------------|-----------|------------------------------------|---------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|-----------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | EGBAL | N/A | N/A | N/A | CA | 4.75° Mag 343.29° True | N/A | N/A | +4000 | N/A | N/A | N/A | 2.86 | OTHER | N/A |
| 20 | EGBAL | N | RPR | EGBAL | CF | 93.83° Mag 71.97° True | R | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | N/A |

| SID RNAV EVTOB 2A RWY 36 | | | | | RIBEIRÃO PRETO, Leite Lopes (SBRP) | | | | | | | SBRP_SID_00F | | 20 MAY 21 | |
|--------------------------|-----------------------|----------|------------|-----------|------------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|--------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | EVTOB | N/A | N/A | N/A | CA | 4.75° Mag 343.29° True | N/A | N/A | +4000 | N/A | N/A | N/A | 2.86 | OTHER | N/A |
| 20 | EVTOB | N | RPR | EVTOB | CF | 133.21° Mag 111.39° True | R | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | N/A |

| SID RNAV KEXIT 2A RWY 36 | | | | | RIBEIRÃO PRETO, Leite Lopes (SBRP) | | | | | | | SBRP_SID_00F | | 20 MAY 21 | |
|--------------------------|-----------------------|----------|------------|-----------|------------------------------------|---------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|--------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | KEXIT | N/A | N/A | N/A | CA | 4.75° Mag 343.29° True | N/A | N/A | +4000 | N/A | N/A | N/A | 2.86 | OTHER | N/A |
| 20 | KEXIT | N | RPR | KEXIT | CF | 54.71° Mag 33.02° True | R | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | N/A |

| SID RNAV NILPI 2A RWY 36 | | | | | RIBEIRÃO PRETO, Leite Lopes (SBRP) | | | | | | | SBRP_SID_00F | | 20 MAY 21 | |
|--------------------------|-----------------------|----------|------------|-----------|------------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|--------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | NILPI | N/A | N/A | N/A | CA | 4.75° Mag 343.29° True | N/A | N/A | +4000 | N/A | N/A | N/A | 2.86 | OTHER | N/A |
| 20 | NILPI | N | RPR | NILPI | CF | 154.93° Mag 133.15° True | R | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | N/A |

| SID RNAV OPRUT 2A RWY 36 | | | | | RIBEIRÃO PRETO, Leite Lopes (SBRP) | | | | | | | SBRP_SID_00F | | 20 MAY 21 | |
|--------------------------|-----------------------|----------|------------|-----------|------------------------------------|-----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|--------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | OPRUT | N/A | N/A | N/A | CA | 4.75° Mag 343.29° True | N/A | N/A | +4000 | N/A | N/A | N/A | 2.86 | OTHER | N/A |
| 20 | OPRUT | N | RPR | OPRUT | CF | 145.66° Mag 123.72° True | R | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | N/A |

| SID RNAV ZANET 2A RWY 36 | | | | | RIBEIRÃO PRETO, Leite Lopes (SBRP) | | | | | | | SBRP_SID_00F | | 20 MAY 21 | |
|--------------------------|-----------------------|----------|------------|-----------|------------------------------------|----------------------------|------|---------------------------|---------------------------|------------------|-------------------------|--------------|--------|-----------------|--------------------------|
| Seq Num | Transition Identifier | Fly Over | Rec Navaid | Fix Ident | Path and Terminator | Course Angle | Turn | Upper Limit Altitude (FT) | Lower Limit Altitude (FT) | Speed Limit (KT) | Speed Limit Description | TM DST (NM) | VA (°) | Role of the Fix | Navigation Specification |
| 10 | ZANET | N/A | N/A | N/A | CA | 4.75° Mag 343.29° True | N/A | N/A | +4000 | N/A | N/A | N/A | 2.86 | OTHER | N/A |
| 20 | ZANET | N | RPR | ZANET | CF | 112.58° Mag 90.79° True | R | N/A | N/A | N/A | N/A | N/A | N/A | OTHER | N/A |

| DER | Latitude / Longitude (WGS84) DD:MM:SS.SS | Elevation (FT) |
|-----|--|----------------|
| 18 | S 21:08:38.75 W 47:46:15.25 | 1805.00 |
| 36 | S 21:07:33.30 W 47:46:36.10 | 1799.00 |

| Ident | Latitude / Longitude (WGS84) DD:MM:SS.SS |
|-------|--|
| RPR | S 21:08:34.00W 47:46:13.00 |
| EGBAL | S 20:52:33.60W 46:53:21.00 |
| EVTOB | S 21:30:14.95W 46:47:42.26 |
| KEXIT | S 20:35:01.02W 47:22:57.29 |
| NILPI | S 22:04:42.00W 46:42:38.40 |
| OPRUT | S 22:02:05.46W 46:21:21.26 |
| ZANET | S 21:09:18.11W 46:58:31.31 |

| COD | Meaning |
|-----|----------------|
| + | AT OR ABOVE |
| - | AT OR BELOW |
| @ | AT |
| R | RECOMMENDED |
| B | BETWEEN |
| = | AS ASSIGNED |
| SDF | STEPDOWN FIX |
| Y | YES |
| N | NO |
| L | LEFT |
| R | RIGHT |
| N/A | NOT APPLICABLE |