



## CODING TABLE

IAC ILS V or LOC V RWY 28					RIO DE JANEIRO / Galeão - Antônio Carlos Jobim, INTL (SBGL)							SBGL_IAC_01D		09 SEP 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	KETUX	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	N/A
20	APCH	N/A	ILM	LIXUG	CF	277.57° Mag	N/A	N/A	+2800	N/A	N/A	5.54	N/A	IF	N/A
10	APCH	N/A	N/A	SEDBU	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	N/A
20	APCH	N/A	CXI	ILM03*	AF	N/A	R	N/A	+2800	N/A	N/A	N/A	N/A	OTHER	N/A
30	APCH	N/A	ILM	LIXUG	CF	277.57° Mag	N/A	N/A	+2800	N/A	N/A	1.46	N/A	IF	N/A
10	FINAL	N/A	N/A	LIXUG	IF	N/A	N/A	N/A	+2800	N/A	N/A	N/A	N/A	IF	N/A
20	FINAL	N/A	ILM	VUBOP	CF	277.58° Mag	N/A	N/A	R1680	N/A	N/A	5.00	N/A	FAF	N/A
30	FINAL	N/A	ILM	ILM02*	CF	277.58° Mag	N/A	N/A	R782	N/A	N/A	2.80	-3.00	SDF	N/A
40	FINAL	N/A	ILM	ILM01*	CF	277.58° Mag	N/A	N/A	@80	N/A	N/A	2.21	-3.00	LTP/FTP	N/A
10	MA	N/A	N/A	N/A	VA	277.58° Mag	N/A	N/A	+600	210	-	N/A	N/A	N/A	N/A
20	MA	N/A	N/A	N/A	VI	100.00° Mag	R	N/A	+5000	210	-	N/A	N/A	N/A	N/A
30	MA	N/A	CXI	SEDBU	CF	70.24° Mag	L	N/A	+5000	210	-	N/A	N/A	OTHER	N/A
40	MA	N/A	CXI	ILM03*	AF	N/A	R	N/A	+5000	210	-	N/A	N/A	OTHER	N/A
50	MA	N/A	ILM	LIXUG	CF	277.57° Mag	N/A	N/A	+5000	210	-	1.46	N/A	MAHF	N/A
60	MA	N/A	ILM	LIXUG	HM	277.57° Mag	L	N/A	+5000	N/A	N/A	1.00 min	N/A	MAHF	N/A

(\* ) Fictitious point = for coding purpose only.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
KETUX	S 22:43:20.40W 42:56:51.60
SEDBU	S 22:39:32.41W 43:04:12.51
ILM03	S 22:44:27.92W 43:01:05.92
LIXUG	S 22:44:51.60W 43:02:37.20
VUBOP	S 22:46:11.88W 43:07:50.07
ILM02	S 22:46:56.73W 43:10:45.31
ILM01	S 22:47:32.03W 43:13:03.44

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE