



## CODING TABLE

IAC ILS U (Converging) RWY 28					RIO DE JANEIRO / Galeão - Antônio Carlos Jobim, INTL (SBGL)							SBGL_IAC_02K		07 OCT 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	SEDBU	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	RNAV 1 or RNP 1
20	APCH	N	N/A	LIXUG	TF	187.57° Mag 164.52° True	N/A	N/A	+2800	N/A	N/A	5.50	N/A	IF	RNAV 1 or RNP 1
10	APCH	N/A	N/A	KETUX	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	RNAV 1 or RNP 1
20	APCH	N	N/A	LIXUG	TF	277.18° Mag 254.10° True	N/A	N/A	+2800	N/A	N/A	5.54	N/A	IF	RNAV 1 or RNP 1
10	FINAL	N/A	N/A	LIXUG	IF	N/A	N/A	N/A	+2800	N/A	N/A	N/A	N/A	IF	N/A
20	FINAL	N/A	ILM	VUBOP	CF	277.58° Mag 254.51° True	N/A	N/A	R1680	N/A	N/A	5.00	N/A	FAF	N/A
30	FINAL	N/A	ILM	ILM06*	CF	277.58° Mag 254.61° True	N/A	N/A	@528	N/A	N/A	3.60	-3.00	MAPT	N/A
10	MA	N	N/A	GL086	DF	N/A	R	-4000	N/A	200	-	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	MA	N	N/A	GL087	TF	97.20° Mag / 74.15° True	N/A	N/A	N/A	200	-	5.54	N/A	OTHER	RNAV 1 or RNP 1
30	MA	Y	N/A	KETUX	TF	187.68° Mag / 164.60° True	R	N/A	+5000	200	-	7.50	N/A	MAHF	RNAV 1 or RNP 1
40	MA	Y	N/A	KETUX	HM	277.18° Mag / 254.10° True	L	N/A	+5000	N/A	N/A	N/A	N/A	MAHF	RNAV 1 or RNP 1

(\*) Fictitious point = for coding purpose only.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
LIXUG	S 22:44:51.60W 43:02:37.20
VUBOP	S 22:46:11.88W 43:07:50.07
ILM06	S 22:47:09.52W 43:11:35.38
SEDBU	S 22:39:32.41W 43:04:12.51
KETUX	S 22:43:20.40W 42:56:51.60
GL086	S 22:37:36.12W 43:04:46.18
GL087	S 22:36:05.00W 42:59:00.86
CXI	S 22:49:01.51W 43:15:36.00

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE