



## CODING TABLE

IAC RNP RWY 25					ALTAMIRA / Altamira (SBHT)							SBHT_IAC_001		30 DEC 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	HT002	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	HT004	TF	251.53° Mag 231.99° True	N/A	N/A	+2200	N/A	N/A	5.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	HT001	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	HT004	TF	181.53° Mag 161.99° True	N/A	N/A	+2200	N/A	N/A	5.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	HT003	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	HT004	TF	321.53° Mag 301.99° True	N/A	N/A	+2200	N/A	N/A	5.00	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	HT004	IF	N/A	N/A	N/A	+2200	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	HT006	TF	251.52° Mag 232.00° True	N/A	N/A	+2000	N/A	N/A	5.00	N/A	FAF	RNP APCH
30	FINAL	N	N/A	ATM01*	TF	251.50° Mag 231.99° True	N/A	N/A	R1521	N/A	N/A	1.50	-3.00	SDF	RNP APCH
40	FINAL	Y	N/A	RWY25	TF	251.51° Mag 232.01° True	N/A	N/A	@406	N/A	N/A	3.50	-3.00	LTP	RNP APCH
10	MA	N/A	N/A	N/A	CA	251.51° Mag 232.01° True	N/A	N/A	+2500	N/A	N/A	N/A	N/A	OTHER	RNP APCH
20	MA	Y	N/A	HT003	DF	N/A	L	N/A	+4000	N/A	N/A	N/A	N/A	MAHF	RNP APCH
30	MA	Y	N/A	HT003	HM	321.53° Mag 301.97° True	L	N/A	+4000	N/A	N/A	1.00 min	N/A	MAHF	RNP APCH

\*Fictitious point: Only for coding purposes

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
HT004	S 03:08:39.84W 52:06:55.87
HT006	S 03:11:45.46W 52:10:52.20
ATM01	S 03:12:41.16W 52:12:03.09
RWY25	S 03:14:51.07W 52:14:48.55
HT002	S 03:05:34.21W 52:02:59.57
HT001	S 03:03:53.14W 52:08:28.58
HT003	S 03:11:19.56W 52:02:41.51

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT