



## CODING TABLE

IAC ILS U CAT II RWY 10				RIO DE JANEIRO / Galeão - Antônio Carlos Jobim, INTL (SBGL)								SBGL_IAC_01H		09 SEP 21	
Seq Num	IAP Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude ft	Lower Limit Altitude ft	Speed Limit kt	Speed Limit Description	TM DST NM	VA °	Role Of TheFix	Navigation Specification
10	APCH	N/A	N/A	DONGI	IF	N/A	N/A	N/A	+6300	N/A	N/A	N/A	N/A	IAF	N/A
20	APCH	N/A	ITB	SUNSI	CF	96.90° Mag	N/A	N/A	+3900	N/A	N/A	6.77	N/A	SDF	N/A
30	APCH	N/A	ITB	GAVUG	CF	96.91° Mag	N/A	N/A	+3500	N/A	N/A	1.50	N/A	IF	N/A
10	FINAL	N/A	N/A	GAVUG	IF	N/A	N/A	N/A	+3500	N/A	N/A	N/A	N/A	IF	N/A
20	FINAL	N/A	ITB	GL008 (*)	CF	96.91° Mag	N/A	N/A	+2800	N/A	N/A	2.00	N/A	SDF	N/A
30	FINAL	N/A	ITB	GL167	CF	96.91° Mag	N/A	N/A	+1670	N/A	N/A	3.74	N/A	FAF	N/A
40	FINAL	Y	ITB	THR10	CF	96.81° Mag	N/A	N/A	@76	N/A	N/A	5.00	-3.00	LTP/FTP	N/A
10	MA	N/A	N/A	N/A	CA	96.81° Mag	N/A	N/A	+2000	N/A	N/A	N/A	N/A	N/A	N/A
20	MA	Y	N/A	PCX	DF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	MAHF	N/A
30	MA	Y	PCX	PCX	HM	292.00° Mag	R	N/A	+7000	N/A	N/A	N/A	N/A	MAHF	N/A

(\*) Fictitious point = Stepdown fix.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
PCX	S 22:42:55.42W 42:51:26.72
ITB	S 22:47:29.06W 43:12:52.71
DONGI	S 22:53:09.60W 43:35:09.00
SUNSI	S 22:51:22.00W 43:28:05.04
GAVUG	S 22:50:57.98W 43:26:31.11
GL008(*)	S 22:50:26.08W 43:24:25.84
GL167	S 22:49:26.40W 43:20:31.80
THR10	S 22:48:06.66W 43:15:18.62

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
FROP	FINAL APPROACH ROLLOUT POINT
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT