



CODING TABLE

SID FATAL 2A RWY 09					CORUMBÁ / Corumbá, INTL (SBCR)							SBCR_SID_00A		15 JUL 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	FATAL	N/A	N/A	N/A	VA	90.49° Mag / 74.33° True	N/A	N/A	+1500	N/A	N/A	N/A	2.23	N/A	N/A
20	FATAL	N/A	N/A	CUB	DF	N/A	L	N/A	N/A	N/A	N/A	N/A	2.23	OTHER	N/A
30	FATAL	N/A	CUB	FATAL	CF	168.96° Mag / 152.80° True	N/A	N/A	+16000	N/A	N/A	40.14	N/A	OTHER	N/A
SID NEGRO 2C RWY 09					CORUMBÁ / Corumbá, INTL (SBCR)							SBCR_SID_00A		15 JUL 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	NEGRO	N/A	N/A	N/A	VA	90.49° Mag / 74.33° True	N/A	N/A	+1500	N/A	N/A	N/A	2.23	N/A	N/A
20	NEGRO	N/A	N/A	CUB	DF	N/A	L	N/A	N/A	N/A	N/A	N/A	2.23	OTHER	N/A
30	NEGRO	N/A	CUB	NEGRO	CF	133.79° Mag / 117.63° True	N/A	N/A	+12000	N/A	N/A	40.04	N/A	OTHER	N/A
SID FATAL 2B RWY 27					CORUMBÁ / Corumbá, INTL (SBCR)							SBCR_SID_00A		15 JUL 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	FATAL	N/A	N/A	N/A	VA	270.48° Mag / 254.34° True	N/A	N/A	+1500	N/A	N/A	N/A	2.29	N/A	N/A
20	FATAL	N/A	N/A	CUB	DF	N/A	R	N/A	N/A	N/A	N/A	N/A	2.29	OTHER	N/A
30	FATAL	N/A	CUB	FATAL	CF	168.96° Mag / 152.80° True	N/A	N/A	+16000	N/A	N/A	40.14	N/A	OTHER	N/A
SID NEGRO 2B RWY 27					CORUMBÁ / Corumbá, INTL (SBCR)							SBCR_SID_00A		15 JUL 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification

10	NEGRO	N/A	N/A	N/A	VA	270.48° Mag / 254.34° True	N/A	N/A	+1500	N/A	N/A	N/A	2.29	N/A	N/A
20	NEGRO	N/A	N/A	CUB	DF	N/A	R	N/A	N/A	N/A	N/A	N/A	2.29	OTHER	N/A
30	NEGRO	N/A	CUB	NEGRO	CF	133.79° Mag / 117.63° True	N/A	N/A	+12000	N/A	N/A	40.04	N/A	OTHER	N/A

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
CUB	S 19:00:58.39W 57:39:52.04
NEGRO	S 19:19:31.80W 57:02:24.00
FATAL	S 19:36:40.20W 57:20:30.00

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
27	S 19:00:47.55 W 57:40:39.19	435.50
09	S 19:00:34.38 W 57:39:49.80	461.68

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT

