



CODING TABLE

SID VUPOM 1B RWY 27					MANAUS / Ponta Pelada, MIL (SBMN)							SBMN_SID_01W		04 NOV 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	VUPOM	N/A	N/A	N/A	VA	272.12° Mag / 256.08° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	N/A	N/A
20	VUPOM	N/A	PEL	VUPOM	CF	293.19° Mag / 277.15° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID SIPOX 1B RWY 27					MANAUS / Ponta Pelada, MIL (SBMN)							SBMN_SID_01W		04 NOV 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	SIPOX	N/A	N/A	N/A	VA	272.12° Mag / 256.08° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	N/A	N/A
20	SIPOX	N/A	N/A	N/A	VI	35.96° Mag / 20.00° True	R	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
30	SIPOX	N/A	PEL	SIPOX	CF	1.80° Mag / 345.76° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID MASDU 1B RWY 27					MANAUS / Ponta Pelada, MIL (SBMN)							SBMN_SID_01W		04 NOV 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	MASDU	N/A	N/A	N/A	VA	272.12° Mag / 256.08° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	N/A	N/A
20	MASDU	N/A	N/A	PEL	DF	N/A	L	N/A	+5000	N/A	N/A	N/A	N/A	OTHER	N/A
30	MASDU	N/A	PEL	MASDU	CF	96.05° Mag / 80.01° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
PEL	S 03:08:34.17W 59:59:37.49
MASDU	S 03:04:48.60W 59:38:24.60
SIPOX	S 02:22:12.60W 60:11:19.20
VUPOM	S 03:05:04.00W 60:27:21.00

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
27	S 03:08:53.73 W 59:59:43.26	248.99 ft MSL

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT