



CODING TABLE

IAC RNP T RWY 17L					SÃO PAULO / Congonhas (SBSP)							SBSP_IAC_02C		20 MAY 21	
Seq Num	IAP Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role Of TheFix	Navigation Specification
10	APCH	N/A	N/A	LUVDI	IF	N/A	N/A	N/A	+5500	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	SP048	TF	127.19° Mag 105.65° True	N/A	N/A	+4700	N/A	N/A	4.18	N/A	IF	RNP APCH
10	APCH	N/A	N/A	KOMGU	IF	N/A	N/A	N/A	+5500	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	SP048	TF	80.30° Mag 58.76° True	N/A	N/A	+4700	N/A	N/A	6.12	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	SP048	IF	N/A	N/A	N/A	+4700	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	SP049	TF	169.06° Mag 147.51° True	N/A	N/A	R4040	N/A	N/A	3.30	N/A	FAF	RNP APCH
30	FINAL	N	N/A	*SP052	TF	169.05° Mag 147.50° True	N/A	N/A	+3340	N/A	N/A	2.20	-3.00	SDF	RNP APCH
40	FINAL	Y	N/A	RW17L	TF	169.05° Mag 147.49° True	N/A	N/A	@2639	N/A	N/A	2.20	-3.00	MAPT	RNP APCH
10	MA	N/A	N/A	N/A	VA	169.05° Mag 147.50° True	N/A	N/A	+4000	200	-	N/A	N/A	N/A	RNP APCH
20	MA	N	N/A	KOMGU	DF	N/A	N/A	N/A	+5500	200	-	N/A	N/A	MAHF	RNP APCH
30	MA	Y	N/A	KOMGU	HM	348.97° Mag 327.50° True	L	N/A	+5500	N/A	N/A	N/A	N/A	MAHF	RNP APCH

(*) Fictitious point = for coding purpose only.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
LUVDI	S 23:29:35.90W 46:48:21.77
SP048	S 23:30:43.90W 46:43:58.88
KOMGU	S 23:33:54.89W 46:49:40.64
SP049	S 23:33:31.48W 46:42:03.17
*SP052	S 23:35:23.16W 46:40:46.00
RW17L	S 23:37:14.85W 46:39:28.78

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT.