



## CODING TABLE

IAC RNP RWY 04					CARACARÁ / Caracará, MIL (SBQI)							SBQI_IAC_00B		28 NOV 24	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	QI003	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	QI002	TF	133.70° Mag / 117.74° True	N/A	N/A	+1900	N/A	N/A	6.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	QI004	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	QI002	TF	313.79° Mag / 297.74° True	N/A	N/A	+1900	N/A	N/A	6.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	QI006	IF	N/A	N/A	N/A	+4000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	QI002	TF	43.73° Mag / 27.74° True	N/A	N/A	+1900	N/A	N/A	6.00	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	QI002	IF	N/A	N/A	N/A	+1900	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	QI001	TF	43.75° Mag / 27.74° True	N/A	N/A	R1830	N/A	N/A	5.00	N/A	FAF	RNP APCH
30	FINAL	Y	N/A	RWY04	TF	43.76° Mag / 27.74° True	N/A	N/A	@229	N/A	N/A	5.00	-3.00	LTP	RNP APCH
10	MA	Y	N/A	QI013	TF	43.78° Mag / 27.74° True	N/A	N/A	+4000	N/A	N/A	17.35	N/A	MAHF	RNP APCH
20	MA	Y	N/A	QI013	HM	43.84° Mag / 27.75° True	R	N/A	+4000	N/A	N/A	1.00 min	N/A	MAHF	RNP APCH

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
QI001	N 01:45:35.26W 61:09:56.71
QI002	N 01:41:08.43W 61:12:16.18
QI003	N 01:43:56.82W 61:17:34.37
QI004	N 01:38:20.03W 61:06:58.00
RWY04	N 01:50:02.08W 61:07:37.24
QI006	N 01:35:48.24W 61:15:03.52
QI013	N 02:05:27.90W 60:59:33.18

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT