



## CODING TABLE

IAC VOR RWY 24					MACAÉ / Macaé (SBME)							SBME_IAC_00F	30 DEC 21		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	MCA	IF	N/A	N/A	N/A	+3600	N/A	N/A	N/A	N/A	IAF	N/A
20	APCH	N/A	MCA	MCA	FC	88.04° Mag 64.57° True	N/A	N/A	+1700	N/A	N/A	8.00	N/A	OTHER	N/A
30	APCH	N/A	MCA	OPTAR	CF	239.00° Mag 215.53° True	L	N/A	R1650	N/A	N/A	N/A	N/A	FAF	N/A
10	FINAL	N/A	N/A	OPTAR	IF	N/A	N/A	N/A	R1650	N/A	N/A	N/A	N/A	FAF	N/A
20	FINAL	N/A	MCA	ME014*	CF	239.00° Mag 215.53° True	N/A	N/A	+1030	N/A	N/A	1.96	-3.00	SDF	N/A
30	FINAL	N/A	MCA	MCA06*	CF	239.00° Mag 215.53° True	N/A	N/A	@58	N/A	N/A	3.04	-3.00	LTP/FTP	N/A
10	MA	N/A	N/A	N/A	CA	239.00° Mag 215.53° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	OTHER	N/A
20	MA	N/A	N/A	MCA	DF	N/A	L	N/A	+3600	N/A	N/A	N/A	N/A	MAHF	N/A
30	MA	N/A	MCA	MCA	HM	88.04° Mag 64.57° True	R	N/A	+3600	N/A	N/A	1.00 min	N/A	MAHF	N/A

(\*) Fictitious point only for coding purposes.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
MCA	S 22:20:40.01W 41:46:08.40
OPTAR	S 22:16:10.93W 41:42:42.00
ME014	S 22:17:46.94W 41:43:55.62
MCA06	S 22:20:16.07W 41:45:50.03

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT