



CODING TABLE

SID AAQ 2A RWY 36					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	AAQ	N/A	N/A	N/A	CA	4.74° Mag / 343.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	AAQ	N	N/A	REPAX	CF	246.86° Mag / 225.40° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
30	AAQ	N	N/A	AAQ	CF	185.60° Mag / 164.40° True	L	N/A	N/A	N/A	N/A	18.40	N/A	OTHER	RNAV 1 or RNP 1

SID ASTOB 2A RWY 36					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	ASTOB	N/A	N/A	N/A	CA	4.74° Mag / 343.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	ASTOB	N	N/A	ASTOB	CF	317.06° Mag / 295.60° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID HASTE 2A RWY 36					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	HASTE	N/A	N/A	N/A	CA	4.74° Mag / 343.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	HASTE	N	N/A	HASTE	CF	294.86° Mag / 273.40° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID PIR 2A RWY 36					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	PIR	N/A	N/A	N/A	CA	4.74° Mag / 343.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	PIR	N	N/A	PIR	CF	175.56° Mag / 154.10° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID NILSU 2A RWY 36					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	NILSU	N/A	N/A	N/A	CA	4.74° Mag / 343.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	NILSU	N	N/A	NILSU	CF	303.16° Mag / 281.70° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID REPAX 2A RWY 36					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	REPAX	N/A	N/A	N/A	CA	4.74° Mag / 343.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	REPAX	N	N/A	REPAX	CF	246.86° Mag / 225.40° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID TENIK 2A RWY 36					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	TENIK	N/A	N/A	N/A	CA	4.74° Mag / 343.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	TENIK	N	N/A	TENIK	CF	13.56° Mag / 352.10° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID AAQ 2A RWY 18					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	AAQ	N/A	N/A	N/A	CA	184.74° Mag / 163.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	AAQ	N	N/A	REPAX	CF	246.86° Mag / 225.40° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
30	AAQ	N	N/A	AAQ	CF	185.60° Mag / 164.40° True	L	N/A	N/A	N/A	N/A	18.4	N/A	OTHER	RNAV 1 or RNP 1

SID ASTOB 2A RWY 18					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	ASTOB	N/A	N/A	N/A	CA	184.74° Mag / 163.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	ASTOB	N	N/A	ASTOB	CF	317.06° Mag / 295.60° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID HASTE 2A RWY 18					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	HASTE	N/A	N/A	N/A	CA	184.74° Mag / 163.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	HASTE	N	N/A	HASTE	CF	294.86° Mag / 273.40° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID PIR 2A RWY 18					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	PIR	N/A	N/A	N/A	CA	184.74° Mag / 163.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	PIR	N	N/A	PIR	CF	175.56° Mag / 154.10° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID NILSU 2A RWY 18					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	NILSU	N/A	N/A	N/A	CA	184.74° Mag / 163.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	NILSU	N	N/A	NILSU	CF	303.16° Mag / 281.70° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID REPAX 2A RWY 18					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	REPAX	N/A	N/A	N/A	CA	184.74° Mag / 163.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	REPAX	N	N/A	REPAX	CF	246.86° Mag / 225.40° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

SID TENIK 2A RWY 18					RIBEIRÃO PRETO / Leite Lopes (SBRP)							SBRP_SID_00Q		20 MAY 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	TENIK	N/A	N/A	N/A	CA	184.74° Mag / 163.28° True	N/A	N/A	+4000	N/A	N/A	N/A	2.86	OTHER	RNAV 1 or RNP 1
20	TENIK	N	N/A	TENIK	CF	13.56° Mag / 352.10° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
18	S 21:08:38.76 W 47:46:15.26	1804.63
36	S 21:07:33.30 W 47:46:36.21	1798.72

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
PIR	S 21:59:04.42W 47:20:40.21
AAQ	S 21:48:46.84W 48:08:22.12
NILSU	S 20:54:36.00W 48:56:06.60
TENIK	S 20:32:37.20W 47:51:21.60
HASTE	S 21:06:25.80W 48:20:36.00
REPAX	S 21:30:58.55W 48:13:31.55
REPAX	S 21:30:58.55W 48:13:31.55
ASTOB	S 20:40:48.00W 48:49:23.40

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT