



## CODING TABLE

IAC ILS Z RWY 15					RIO DE JANEIRO / Galeão – Antônio Carlos Jobim, INTL (SBGL)							SBGL_IAC_04O		09 SEP 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APPROACH	N	N/A	UTBOM	IF	N/A	N/A	N/A	+6300	N/A	N/A	N/A	N/A	IAF	RNAV 1
20	APPROACH	N	N/A	DOOPK	TF	149.34° Mag 125.50° True	N/A	N/A	+5000	N/A	N/A	2.70	N/A	OTHER	RNAV 1
30	APPROACH	N	N/A	EGBAT	TF	149.45° Mag 125.59° True	N/A	N/A	+3300	N/A	N/A	4.80	N/A	IF	RNAV 1
10	APPROACH	N	N/A	EGDUT	IF	N/A	N/A	N/A	+6300	N/A	N/A	N/A	N/A	IAF	RNAV 1
20	APPROACH	N	N/A	RJ001	TF	89.75° Mag 66.92° True	N/A	N/A	+4700	N/A	N/A	4.80	N/A	OTHER	RNAV 1
30	APPROACH	N	N/A	EGBAT	TF	89.72° Mag 66.86° True	N/A	N/A	+3300	N/A	N/A	4.19	N/A	IF	RNAV 1
10	FINAL	N	N/A	EGBAT	IF	N/A	N/A	N/A	+3300	N/A	N/A	N/A	N/A	IF	N/A
20	FINAL	N	IJB	ROBOL	CF	149.48° Mag 125.60° True	N/A	N/A	+1710	N/A	N/A	4.96	N/A	FAF	N/A
30	FINAL	N	IJB	RWY15	CF	149.47° Mag 125.57° True	N/A	N/A	@68	N/A	N/A	5.11	-3.00	LTP/FTP	N/A
10	MA	N	N/A	OBKEP	CF	119.00° Mag 96.07° True	N/A	N/A	+1800	N/A	N/A	N/A	N/A	OTHER	RNAV 1
20	MA	N	N/A	UTKUP	TF	114.76° Mag 91.82° True	N/A	N/A	+2700	N/A	N/A	3.00	N/A	OTHER	RNAV 1
30	MA	N	N/A	GL079	TF	114.70° Mag 91.71° True	N/A	N/A	@4000	N/A	N/A	8.00	N/A	OTHER	RNAV 1
40	MA	N	N/A	SISER	TF	114.69° Mag 91.66° True	N/A	N/A	@5000	N/A	N/A	7.00	N/A	OTHER	RNAV 1
50	MA	Y	N/A	SISER	HM	294.69° Mag 271.66° True	L	N/A	@5000	N/A	N/A	1.00 min	N/A	MAHF	RNAV 1

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
EGBAT	S 22:42:54.60W 43:24:37.20
ROBOL	S 22:45:48.19W 43:20:15.29
RWY15	S 22:48:47.14W 43:15:45.57
OBKEP	S 22:49:11.04W 43:10:11.14
UTKUP	S 22:49:16.80W 43:06:56.40
GL079	S 22:49:31.40W 42:58:17.05
SISER	S 22:49:43.80W 42:50:42.60
UTBOM	S 22:38:31.80W 43:31:13.20
DOOPK	S 22:40:06.26W 43:28:50.56
EGDUT	S 22:46:27.00W 43:33:34.20
RJ001	S 22:44:33.70W 43:28:47.36

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT