



CODING TABLE

IAC RNP RWY 27					PATOS DE MINAS / Patos de Minas (SNPD)							SNPD_IAC_00B		25 JAN 24	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	PD012	IF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	PD009	TF	1.20° Mag / 338.69° True	N/A	N/A	+4800	N/A	N/A	6.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	PD011	IF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	PD009	TF	271.21° Mag / 248.69° True	N/A	N/A	+4800	N/A	N/A	5.00	N/A	IF	RNP APCH
10	APCH	N/A	N/A	PD013	IF	N/A	N/A	N/A	+6000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	PD009	TF	181.18° Mag / 158.69° True	N/A	N/A	+4800	N/A	N/A	6.00	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	PD009	IF	N/A	N/A	N/A	+4800	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	PD008	TF	271.21° Mag / 248.72° True	N/A	N/A	R4440	N/A	N/A	5.00	N/A	FAF	RNP APCH
30	FINAL	N	N/A	PD014*	TF	271.21° Mag / 248.75° True	N/A	N/A	+3860	N/A	N/A	1.80	-3.00	SDF	RNP APCH
40	FINAL	Y	N/A	RWY27	TF	271.21° Mag / 248.76° True	N/A	N/A	@2841	N/A	N/A	3.20	-3.00	LTP	RNP APCH
10	MA	N/A	N/A	N/A	VA	271.21° Mag / 248.77° True	N/A	N/A	+4000	N/A	N/A	N/A	N/A	OTHER	RNP APCH
20	MA	Y	N/A	PD012	DF	N/A	L	N/A	+6000	N/A	N/A	N/A	N/A	MAHF	RNP APCH
30	MA	Y	N/A	PD012	HM	1.19° Mag / 338.69° True	L	N/A	+6000	N/A	N/A	1.00 min	N/A	MAHF	RNP APCH

*Fictitious point only for coding purposes.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
RWY27	S 18:40:11.61W 46:29:01.56
PD012	S 18:42:09.97W 46:16:54.95
PD009	S 18:36:33.26W 46:19:12.68
PD011	S 18:34:43.89W 46:14:18.39
PD008	S 18:38:22.50W 46:24:07.07
PD014	S 18:39:01.79W 46:25:53.07
PD013	S 18:30:56.56W 46:21:30.41

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT