



CODING TABLE

IAC RNP Z RWY14					FLORIANÓPOLIS / Hercílio Luz, INTL (SBFL)							SBFL_IAC_00U		02 NOV 23	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role Of The Fix	Navigation Specification
10	APCH	N/A	N/A	DIMOG	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	ISASI	TF	231.09° Mag / 211.16° True	N/A	N/A	+3000	N/A	N/A	6.03	N/A	IF	RNP APCH
10	APCH	N/A	N/A	MUKAL	IF	N/A	N/A	N/A	+5100	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	ISASI	TF	141.34° Mag / 121.50° True	N/A	N/A	+3000	N/A	N/A	6.01	N/A	IF	RNP APCH
10	APCH	N/A	N/A	ILRUK	IF	N/A	N/A	N/A	+5700	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	ISASI	TF	51.03° Mag / 31.22° True	N/A	N/A	+3000	N/A	N/A	5.97	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	ISASI	IF	N/A	N/A	N/A	+3000	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	IBDOD	TF	140.95° Mag / 121.08° True	N/A	N/A	+2200	N/A	N/A	2.50	N/A	OTHER	RNP APCH
30	FINAL	N	N/A	ESKEG	TF	140.95° Mag / 121.06° True	N/A	N/A	+2000	N/A	N/A	1.50	N/A	FAF	RNP APCH
40	FINAL	N	N/A	FL004*	TF	140.95° Mag / 121.05° True	N/A	N/A	R1449	N/A	N/A	1.70	-3.03	SDF	RNP APCH
50	FINAL	Y	N/A	RWY14	TF	140.94° Mag / 121.04° True	N/A	N/A	@66	N/A	N/A	4.30	-3.03	LTP	RNP APCH
10	MA	N	N/A	FL049	CF	137.07° Mag / 117.15° True	N/A	N/A	N/A	N/A	N/A	7.52	N/A	OTHER	RNP APCH
20	MA	Y	N/A	MATSA	TF	144.21° Mag / 124.25° True	N/A	N/A	+4000	N/A	N/A	9.76	N/A	MAHF	RNP APCH
30	MA	Y	N/A	MATSA	HM	324.21° Mag / 304.20° True	R	N/A	+4000	N/A	N/A	1.00 min	N/A	MAHF	RNP APCH

*Fictitious point only for coding purposes.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
MUKAL	S 27:31:37.38W 48:48:29.26
ILRUK	S 27:39:53.67W 48:46:11.97
DIMOG	S 27:29:36.03W 48:39:12.38
ISASI	S 27:34:46.34W 48:42:42.99
IBDOD	S 27:36:03.97W 48:40:18.40
ESKEG	S 27:36:50.53W 48:38:51.61
FL004	S 27:37:43.28W 48:37:13.23
RWY14	S 27:39:56.59W 48:33:04.35
FL049	S 27:43:22.72W 48:25:32.20
MATSA	S 27:48:52.80W 48:16:26.40

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT