



CODING TABLE

SID RNAV NESGO 1A RWY16					JOÃO PESSOA / Pres. Castro Pinto, INTL (SBJP)							SBJP_SID_00K		20 FEB 25	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N/A	N/A	N/A	CA	155.90° Mag 134.91° True	N/A	N/A	+2000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	RWY	N	N/A	JP026	DF	N/A	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
30	RWY	N	N/A	NESGO	TF	344.57° Mag 323.61° True	N/A	N/A	+5000	N/A	N/A	11.40	N/A	OTHER	RNAV 1 or RNP 1
10	DALVI	N/A	N/A	NESGO	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	DALVI	N	N/A	JP362	TF	302.16° Mag 281.23° True	N/A	B11000	B7000	N/A	N/A	13.83	N/A	OTHER	RNAV 1 or RNP 1
30	DALVI	N	N/A	DALVI	TF	269.01° Mag 248.05° True	N/A	N/A	N/A	N/A	N/A	37.08	N/A	OTHER	RNAV 1 or RNP 1
10	SAFUC	N/A	N/A	NESGO	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	SAFUC	N	N/A	SAFUC	TF	318.85° Mag 297.92° True	N/A	N/A	N/A	N/A	N/A	13.30	N/A	OTHER	RNAV 1 or RNP 1

SID RNAV ABASE 1A RWY16					JOÃO PESSOA / Pres. Castro Pinto, INTL (SBJP)							SBJP_SID_00K		20 FEB 25	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	N/A	JP023	CF	155.79° Mag 134.80° True	N/A	-9000	N/A	N/A	N/A	27.94	N/A	OTHER	RNAV 1 or RNP 1
20	RWY	N	N/A	ABASE	TF	198.37° Mag 177.33° True	N/A	N/A	+13000	N/A	N/A	12.79	N/A	OTHER	RNAV 1 or RNP 1
10	MUDSI	N/A	N/A	ABASE	IF	N/A	N/A	N/A	+13000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1

20	MUDSI	N	N/A	JP037	TF	203.63° Mag 182.51° True	N/A	N/A	+15000	N/A	N/A	9.46	N/A	OTHER	RNAV 1 or RNP 1
30	MUDSI	N	N/A	JP024	TF	203.67° Mag 182.49° True	N/A	N/A	+17000	N/A	N/A	11.62	N/A	OTHER	RNAV 1 or RNP 1
40	MUDSI	N	N/A	MUDSI	TF	223.61° Mag 202.36° True	N/A	N/A	N/A	N/A	N/A	64.79	N/A	OTHER	RNAV 1 or RNP 1
10	UDOSA	N/A	N/A	ABASE	IF	N/A	N/A	N/A	+13000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	UDOSA	N	N/A	JP038	TF	250.79° Mag 229.67° True	N/A	N/A	+18000	N/A	N/A	16.92	N/A	OTHER	RNAV 1 or RNP 1
30	UDOSA	N	N/A	JP039	TF	248.42° Mag 227.19° True	N/A	N/A	N/A	N/A	N/A	17.58	N/A	OTHER	RNAV 1 or RNP 1
40	UDOSA	N	N/A	UDOSA	TF	249.95° Mag 228.60° True	N/A	N/A	N/A	N/A	N/A	86.86	N/A	OTHER	RNAV 1 or RNP 1
10	GAVAK	N	N/A	ABASE	IF	N/A	N/A	N/A	+13000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	GAVAK	N	N/A	JP038	TF	250.79° Mag 229.67° True	N/A	N/A	+18000	N/A	N/A	16.92	N/A	OTHER	RNAV 1 or RNP 1
30	GAVAK	N	N/A	JP039	TF	248.42° Mag 227.19° True	N/A	N/A	N/A	N/A	N/A	17.58	N/A	OTHER	RNAV 1 or RNP 1
40	GAVAK	N	N/A	UDOSA	TF	249.95° Mag 228.60° True	N/A	N/A	N/A	N/A	N/A	86.86	N/A	OTHER	RNAV 1 or RNP 1
50	GAVAK	N	N/A	GAVAK	TF	251.90° Mag 230.03° True	N/A	N/A	N/A	N/A	N/A	78.24	N/A	OTHER	RNAV 1 or RNP 1
10	KUKES	N/A	N/A	ABASE	IF	N/A	N/A	N/A	+13000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	KUKES	N	N/A	JP038	TF	250.79° Mag 229.67° True	N/A	N/A	+18000	N/A	N/A	16.92	N/A	OTHER	RNAV 1 or RNP 1
30	KUKES	N	N/A	JP039	TF	248.42° Mag 227.19° True	N/A	N/A	N/A	N/A	N/A	17.58	N/A	OTHER	RNAV 1 or RNP 1
40	KUKES	N	N/A	KUKES	TF	268.47° Mag 247.12° True	N/A	N/A	N/A	N/A	N/A	143.68	N/A	OTHER	RNAV 1 or RNP 1

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
JP026	S 07:09:39.82W 34:47:42.53
JP362	S 06:57:43.90W 35:08:09.00
DALVI	S 07:11:38.16W 35:42:45.04
NESGO	S 07:00:26.47W 34:54:30.65
SAFUC	S 06:54:10.80W 35:06:19.80
JP024	S 08:03:09.56W 34:36:55.64
JP037	S 07:51:29.87W 34:36:25.08
JP038	S 07:53:00.00W 34:49:00.00
JP039	S 08:05:00.00W 35:02:00.00
MUDSI	S 09:03:21.05W 35:01:50.07
GAVAK	S 09:53:02.05W 37:08:35.85
JP023	S 07:29:10.05W 34:36:36.05
UDOSA	S 09:02:37.65W 36:07:50.87
KUKES	S 09:00:45.34W 37:15:46.22
ABASE	S 07:42:00.00W 34:36:00.00

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
16	S 07:09:23.76 W 34:56:33.43	209.00

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE